


# Outdoor Wireless Bollard

Ventev's compact, aesthetically pleasing Outdoor Wireless Bollard enables seamless Wi-Fi and wireless communications in any outdoor environment such as in courtyards, along walkways, and across campuses. Constructed of durable, RF-transparent, UV-resistant fiberglass and polycarbonate, the NEMA 3R-rated Bollard is designed to protect and secure most Wi-Fi access points, antennas, switches, media converters and power supplies from harsh weather and tampering. Includes built-in cable management.. *Every Ventev enclosure is covered by the company's two-year TerraNet warranty program.*

**For more information or to purchase, contact Ventev:** 800.851.4965 or [sales@ventev.com](mailto:sales@ventev.com).




*Tapered Cap Bollard*  
Tessco No. 272637



*Octagonal Cap Bollard*  
Tessco No. 212287

Specifications		
SKU	272637	212287
Model	BLRD-FRPB-4210	BLRD-FRPB-4210C1
Outside Dimensions (LxWxD)	42 x 11.6 x 11.6 in 1076 x 295 x 295 mm	
Inside Dimensions	9.63 in. (244 mm ) inside diameter by (889 mm ) 35 in. bollard length	
Exterior Construction	UV-resistant, RF transparent fiberglass with polycarbonate cap. Product color is black and is paintable, using non-metallic paint	
Interior Construction	Reinforced and high-impact polycarbonate structure that is virtually RF transparent and heavy-gage 5052 Aluminum anchor base	
Mounting	Anchors to pre-installed concrete pedestal using tamperproof hardware. Cabling routes through conduit in pedestal.	
Weight	36 lbs / 16.4 kg approximate	
NEMA Rating	NEMA 3R	


# Outdoor Wireless Bollard New Cap






*Tapered Cap Bollard*



*One (1) AP Mounting Bracket SKU 251388 is included with Bollard— additional qty can be purchased separately.*



*Octagonal Cap Bollard*



Shown above with access point and antenna for reference only. (AP and antenna not included)

## Products ship with:

- One (1) fiberglass Bollard with bonded polycarbonate cap
- One (1) fully-assembled internal structure for equipment mounting
- One (1) AP Mounting Bracket and 1/4" Hardware (Bracket fits most indoor Cisco & Aruba APs)
- Four (4) 5/16"-18 Tamper-Resistant Screws

# Outdoor Wireless Bollard New Cap

Compatible Access Points for Outdoor Wireless Bollard		
Indoor AP with External Antenna		Outdoor or Industrial APs***
Cisco	3800 Series	1572EAC/EC *
	2802 Series	1562E/I/D
	1850 Series	1542 I/D
Meraki	MR55	MR84
	MR53E	MR74
	MR45	MR76
	MR42E	MR86
Aruba	AP-514/515	AP-365
	AP-344/345	AP-367
	AP-334/335	
	AP-324/325	
	AP-314/315	
	AP-304/305	
	AP-318	
	AP-228	

\* Needs Mounting Bracket-Tessco No. 264023

\*\* Please check with Ventev for additional equipment not listed here

\*\*\* **Mounting brackets NOT included for Outdoor and Industrial APs models.**  
Customer is required to devise a mounting bracket for these radios.

Compatible Antennas	
Small Form Factor Omni Wi-Fi Antennas	
269258	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 RPTNC Plugs
220851	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 RPSMA Plugs
276884	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 N Plugs
Small Form Factor Patch Wi-Fi Antennas	
581764	6 dBi Micro Patch with 4 Dual Band Leads, N Plug Connectors
535265	6 dBi Micro Patch with 4 Dual Band Leads, RPTNC Plug Connectors
524086	6 dBi Micro Patch with 4 Dual Band Leads, RPTNC Plug Connectors
251676	6 dBi Micro Patch with 4 Dual Band Leads, RPSMA Plug Connectors