

High Gain LPDA Antenna

SKU: 311228

MSRP: \$249.99

FEATURES

- Works on all worldwide cellular bands for voice and data: LTE/CDMA/GSM/UMTS/AWS
- High gain antenna for WilsonPRO cellular repeater/boosters
- Designed for building exterior installation; direct at cell tower for best signal
- Rugged and waterproof for all weather operation
- Simple install kit with tilt/swivel bracket for 1.5" to 2" diameter pipe/mast
- 2 year warranty
- ★ WARNING: This product can expose you to chemicals including Nickel, which is known to the State of California to cause cancer, and Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Kit Includes



High Gain LPDA Antenna with mounting hardware

Specifications

ELECTRICAL

Frequency Band (MHz)	698-806	806-960	1710-1880	1900-2200	2200-2700
Peak Gain (dBi)	12.0	12.0	12.9	13.1	11.2
VSWR		<2:1		<2:1	
Polarization			Linear		
Half-Power Azimuth Beamwidth (°)	60	60	38	46	44
Half-Power Elevation Beamwidth (°)	46	42	30	34	34
Impedance (Ω)			50		
Maximum Power (W)			50		

MECHANICAL

Model	311228		
Connector	N-Female		
Length (in / cm)	44.0 / 111.7		
Antenna weight (Ib / kg)	3.5 / 1.5		
Rated Wind Velocity (Mph)	130		
Radiator Material	Aluminum		
Pole Mount (in / cm)	1.5-2.0 / 3.8-5.0		





XY Plane



YZ Plane





Peak Gain Low Band



Peak Gain High Band





VSWR Low Band



VSWR High Band



Package Dimensions

47.38 L x 3.5 W x 9.5 H



FOR PARTNER'S USE

Support

🛃 2 Year Warranty

Email: support@wilsonelectronics.com **Website:** http://support.weboost.com

Phone: +1 866 294 1660 Monday to Saturday

* WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

UPC

