

870 Series VHF Exposed Dipoles

The 870 Series VHF Exposed Dipoles are available in 1, 2, 4, 8, dipole and dual dipole configurations. All our antennas can be completely customized to your particular applications. Our antennas can be black anodized, adjustable or fixed, side mount or top mount, and heavy-duty versions are available.

- Each antenna is offered in a 1/4, 3/8, or 1/2 wave spacing versions.
- The 87XA-70 has external cabling and a field-adjustable pattern.
- The 87XF-70 has internal cabling and fixed dipole-mast spacing.
- Heavy-duty versions are available. Please contact our Technical Support team for consultation.


Electrical Specifications	871F-70	872F-70	874F-70
Frequency Range, MHz	138-174	138-174	138-174
Nominal Gain, dBd	2.0-2.5	5.0-5.5	8.0-8.5
Number of Dipoles	1	2	4
Bandwidth 1.5:1 VSWR, MHz	36	36	36
Polarization	Vertical	Vertical	Vertical
Pattern	Offset / bi	Offset / bi	Offset / bi
Power Rating, Watts	200	450	450
Nominal Impedance, Ohms	50	50	50
Lightning Protection	DC Ground	DC Ground	DC Ground
Standard Termination	Type N Male	Type N Male	Type N Male
Mechanical Specifications	871F-70	872F-70	874F-70
Length, in (mm)	78 (1981)	162 (3200)	246 (6248)
Width (1/2 Wave Spacing), in (mm)	40 (1016)	40 (1016)	40 (1016)
Weight, lbs. (kg)	13 (6)	24 (10.8)	67 (30)
Rated Wind Velocity, No Ice, mph (km/h)	170 (274)	150 (241)	110 (177)
Rated Wind Velocity, 0.5" (13mm) ice, mph (km/h)	145 (233)	135 (217)	85 (137)
Lateral Thrust @ 100 mph, wind, lbs. (N)	45 (199)	92 (407)	206 (914)
Bending Moment @ top clamp: 100 mph, ft.*lb (N*m)	18 (24)	205 (278)	1440 (1953)
Projected Area, ft ² (m ²)	1.7 (0.16)	3.5 (0.33)	7.7 (0.72)
Mounting Information Mast O.D. (mm)	1.9" (48)	2.4" (61)	2.9" (73)
* See next page for ordering information (page 3) *			




872F-70




871F-70



Quarter-wave Spacing Horizontal




Half-wave Spacing Horizontal




Half-wave Spacing Vertical




872F-70



Quarter-wave Spacing Horizontal




Half-wave Spacing Horizontal




Half-wave Spacing Vertical




874F-70



Quarter-wave Spacing Horizontal



Half-wave Spacing Horizontal



Half-wave Spacing Vertical

Order Information	Adjustable	Heavy Duty	Side Mount	Top Mount	Black Anodized
871F-70	871A-70	871F-70-HD	871F-70-SM	871F-70-TM	871F-70-HDB
872F-70	872A-70	872F-70-HD	872F-70-SM	872F-70-TM	872F-70-HDB
874F-70	874A-70	874F-70-HD	874F-70-SM	874F-70-TM	874F-70-HDB