




ACCESSORY BROCHURE U.S.
November 2015



Trylon

www.trylon.com

Pictorial Table of Contents



Page 5
Light Standoff Mounts




Page 6
Crossover Kits




Page 10
Backing Assemblies



Page 11
Tie-Back Kits



Page 11
Face Mount Frames



Page 13
Monopole Mounts



Page 15
Cable Ladders



Page 15
Transmission Line Supports



Page 17
Waveguide Bridges



Page 17
WGB Components



Page 19
Roof Mounts



Page 20
Wall Mounts



Page 23
Ice Shields



Page 23
Pipe Mounts



Page 24
Miscellaneous Hardware

Volume 2 / Issue 1

Visit www.trylon.com to view all the most recent catalogues




Table of Contents

Standoff Mounts.....	5	Roof Top Coax Bridge.....	16
Standoff	5	Cable Trays	16
Ericsson RRU Mounts	6	Waveguide Bridges.....	17
Ericsson RRU Mounts	6	Waveguide Bridges.....	17
Crossover Kits.....	6	WGB Components.....	17
Universal Crossover Assemblies.....	6	Waveguide Bridge Covers	17
Fixed Crossover Assemblies.....	7	Trapeze Kits.....	18
Splice Assemblies.....	8	Post Assemblies	19
Face Mounts	8	Roof Mounts.....	19
Adjustable Crossover Assemblies.....	9	Roof Top Ballast Frames	19
Adjustable Parallel Clamp	9	Ballast Mounts	20
Backing Assemblies.....	10	Roof Mounts.....	20
Small Pole Backing	10	Expandable Roof Mounts	21
Large Pole Backings.....	10	Wall Mounts.....	22
Tie-Back Kits	11	Adjustable Clip Mount Kits	22
Tie-Back Assemblies	11	Stabilizer Clip Kit.....	22
Face Mount Frames.....	11	Ice Shields	23
V-Frame Mounts	11	Ice Shield Kits.....	23
Stabilizers	12	Pipe Mounts	23
T-Frame Mounts.....	12	Pipe Mount Kits.....	23
Monopole Mounts	13	Miscellaneous Hardware	24
Low Profile Platforms	13	Bulk Pipes	24
Trylon Handrail Systems	13	Miscellaneous Hardware	25
Standoff Assemblies.....	14	Miscellaneous Assemblies	25
Universal Monopole Ring Assemblies	14	Kit Maximum Example	26
Climbing Ladders	15	Cross Reference Page.....	28
Climbing Ladders	15	Notes.....	35
Transmission Line Supports	15		
T-Style Transmission Line Bracket.....	15		
Assemblies.....	16		



Trylon

WHO WE ARE

Trylon specializes in developing, supplying and building wireless networks and in-building telecommunications systems. With more than 80 years of experience globally, we have a proven track record for delivering innovative solutions and complete end-to-end project execution and management for our clients.

Today we are recognized for our ability to deliver every step of an infrastructure project: from concept and design to completion and long-term operation. Whether your project is relatively straightforward or staggeringly complex, wherever in the world you wish to extend the freedom of wireless communication, trust Trylon.

Our strengths are:

- Industry-leading, professional engineering staff
- Experienced field installation team
- ISO-9001 certified manufacturer of high quality towers
- Investment in new technologies to lead in the LTE network expansion
- Program execution leadership to deliver complete end-to-end builds.



Trylon


Standoff Mounts

Standoff

Trylon Part #	Cross Reference	Description	Ship Weight (lbs)
5.927.0005.035	MC-SA40-B	3-1/2" Monopole Standoff Kit	39
5.927.0005.103	MT-197	3' Adjustable Monopole Standoff Kit	46
5.927.0005.103	MT-197-24	3' Adjustable Monopole Standoff Kit	46
5.930.0202.007	S-200	2' Standoff c/w 2-3/8"OD x 36" Mounting Pipe, (2) Small Backing A Ass'y (up to 4 1/2" members)	53
5.930.0202.022	DM-100	Light 2' Vertical Standoff c/w Universal Backing Kits	62
5.930.0203.007	S-300	3' Standoff c/w 2-3/8"OD x 36" Mounting Pipe, (2) Small Backing A Ass'y (up to 4 1/2" members)	62
5.930.0204.001	HS-400	Light 4' Vertical Standoff (Does not Include Mounting Hardware)	64
5.930.0204.002	S-400	Light 4' Vertical Standoff with Small Backing Kits	68
5.930.0205.002	S-500	Light 5' Vertical Standoff with Small Backing Kits	78
5.930.0206.007	S-600	6' Standoff c/w 2-3/8"OD x 36" Mounting Pipe, (2) Medium Backing B Ass'y (up to 6" members)	97
5.930.0104.007	PB-G3S-2	Medium 3' Vertical Standoff with Medium Backing Kits	131
5.930.0104.012	PB-G3S-4	Medium 3' Vertical Standoff with Large Backing Kits	137
5.930.0107.001	MT-397	Heavy 1' Tapererd Standoff (Does not Include Mounting Hardware)	77
5.930.0110.001	PM-XT-36	Heavy 2' Vertical Standoff (Does not Include Mounting Hardware)	109
5.930.0110.001	PM-XT-24	Heavy 2' Vertical Standoff (Does not Include Mounting Hardware)	109
5.930.0126.022	PM-SC4-63	Heavy 1' Vertical Standoff (4-1/2" x 6' pipe) c/w (4) Universal Backing Kits	145
5.927.1005.002	MC-SA18-B	2' Monopole Standoff Assembly c/w (2) 1/2" U-Bolt Kits (fits 2-3/8" pipe)	33
5.927.1005.002	MC-SA24-B	2' Monopole Standoff Assembly c/w (2) 1/2" U-Bolt Kits (fits 2-3/8" pipe)	33

Light Standoffs are a perfect mounting solution for wireless omni-directional antennas when separation from the tower structure is essential. They come in five standard standoffs ranging from 2' to 6' in 1' increments to suit your exact site needs. Members are welded to the strictest standards and are made from 2-3/8" OD structural tubes, which are then hot dip galvanized to weather the elements. The main pipe mount is 3' long to give you greater diversity in installing the antenna to the structure.

Four optional backing assemblies are available to attach to most tower legs. The standard small backing assembly allows attachment to round legs up to 4-1/2" OD. The medium backing assembly can attach to round legs from 1" to 5-5/8" OD or 60° angle legs up to 6" in size. The large backing assembly can attach to round legs ranging from 1-1/2" to 11" OD, or 60° and 90° angles up to 8" in size. To accommodate additional possibilities such as tapered towers, the last option is our universal backing assembly that has the same capabilities of the large backing assembly plus the ability to mount standoffs to either vertical tower legs or tapered tower legs up to 10° (1 in 6) slope.



Picture displayed may not be indicative of the kit selected




Ericsson RRU Mounts

Ericsson RRU Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
4.927.0057.001		4-way RRU Mount Kit (2-3/8" OD to 4-1/2" OD, 3" to 4" angle)	45
4.927.0063.001	MTC3326DHD	2-Way RRU Mount	25
4.927.0064.001	PM-RU3	3-Way RRU Mount	36
4.927.0064.001	PM-RU3T	3-Way RRU Mount	36

The Ericsson RRU Mount Kits provide simple and cost effective mounting of one to four Ericsson RRUs. These kits will mount to a variety of member shapes and sizes including pipe, solid round and angle, allowing utilization of existing tower members. Each kit includes 2 levels of bracket assemblies and universal hardware for attachment to the tower or pipe mount. All components are hot-dip galvanized with exception of the plastic endcaps.



Picture displayed may not be indicative of the kit selected


Crossover Kits

Universal Crossover Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0005.002	CC-100	Universal Crossover Assembly (fits two members up to 4-1/2" OD)	10
5.960.0005.002	XA-U	Universal Crossover Assembly (fits two members up to 4-1/2" OD)	10
5.960.0005.002	CC-100-6	Universal Crossover Assembly (fits two members up to 4-1/2" OD)	10
5.960.0005.003	CC-215	Universal Crossover Assembly (fits two members up to 5-5/8" OD)	23
5.960.0005.003	CC-215-6	Universal Crossover Assembly (fits two members up to 5-5/8" OD)	23

The universal crossover assemblies are commonly used to secure two members (such as pipes, angles, or HSS) at angles ranging from 45° to 90°. Depending on the kit, attachment sizes can range from 3/4" OD up to 11" OD. All parts are hot dip galvanized to provide corrosion protection in all environmental conditions.

Please note that OD means "outer diameter," and can be used for any structural member that falls within the size given.



Picture displayed may not be indicative of the kit selected




Crossover Kits

Hybrid Crossover Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0006.102	MDL-SS-6R	Standard Hybrid Crossover Assembly - fits 3-1/2" OD Pipe up to 11" OD Member	32
5.960.0008.004	MTC3055PM2	Large Hybrid Crossover Assembly (fits 2-3/8" OD pipe up to 11" OD member)	25

The hybrid crossover assemblies connect standard pipes (2-3/8", 2-3/8", 3-1/2", and 4-1/2" OD) to other structural members (such as angles, pipes, or HSS) using the adjustable backing portion of the assembly. The small assemblies attach these pipes to other members up to 4-1/2" OD, while the standard and large assemblies attach to other members up to 11" OD members in size. All pieces are hot dip galvanized.



Picture displayed may not be indicative of the kit selected

Fixed Crossover Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0002.001	XP-2020	2-3/8" to 2-3/8" Fixed Crossover Ass'y	9
5.960.0002.001	XA-2020	2-3/8" to 2-3/8" Fixed Crossover Ass'y	9
5.960.0003.001	XP-3030	3-1/2" to 3-1/2" Fixed Crossover Ass'y	11
5.960.0003.002	MT-219M-H	Fixed Crossover Assembly (2-7/8" OD to 3-1/2" OD Pipes)	10
5.960.0003.002	XP-2530	Fixed Crossover Assembly (2-7/8" OD to 3-1/2" OD Pipes)	10
5.960.0003.003	XP-2030	2-3/8" to 3-1/2" Fixed Crossover Ass'y	10
5.960.0003.003	MT-219-H	2-3/8" to 3-1/2" Fixed Crossover Ass'y	10
5.960.0003.005	XP-2025	2-3/8" to 2-7/8" Fixed Crossover Ass'y	9
5.960.0004.001	XP-4040	Fixed Crossover Assembly (fits 4-1/2" OD to 4-1/2" OD Pipes)	13
5.960.0004.002	XP-3040	Fixed Crossover Assembly (3-1/2" OD to 4-1/2" OD Pipe)	12
5.960.0004.004	XP-2040	Fixed Crossover Assembly (2-3/8" OD to 4-1/2" OD Pipes)	12
5.960.0004.004	XP-197-S	Fixed Crossover Assembly (2-3/8" OD to 4-1/2" OD Pipes)	12
5.960.0022.106	MT-219-72	2-3/8" x 6' Pipe with (1) 3-1/2" Cross-Pipe Kit	42
5.960.0022.108	MT-220	2-3/8" x 8' Pipe with (1) 3-1/2" Cross-Pipe Kit	41
5.960.0022.110	MT-220-120	2-3/8" x 10' Pipe with (1) 3-1/2" Crossover Kit	56
5.960.0033.106	MT-216-6NS	3-1/2" x 6' Pipe with (1) 4-1/2" Crossover Kit	48
5.960.0033.112	MT-216-NS	3-1/2" x 12' Pipe with (1) 4-1/2" Crossover Kit	108

These versatile pipe-to-pipe assemblies are used to secure two pipes at right angles (90°) to each other. Each kit contains a connection plate and four u-bolt assemblies. All parts are hot dip galvanized for maximum corrosion protection.



Crossover Kits

Splice Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0189.001	WS-K400	Universal Splice Assembly	12
5.939.0189.001	WB-SP	Universal Splice Assembly	0
5.939.0192.045	MT-F1573-11	45 Degree Adjustable Splice Assembly	27
5.939.0192.045	MT-F1574	45 Degree Adjustable Splice Assembly	27
5.939.0192.045	MT-F504	45 Degree Adjustable Splice Assembly	27

These versatile pipe-to-pipe assemblies are used to secure two pipes at right angles (90°) to each other. Each kit contains a connection plate and four u-bolt assemblies. All parts are hot dip galvanized for maximum corrosion protection.



Picture displayed may not be indicative of the kit selected

Face Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0110.201	TF-GM6-63	2-Level, 2'-6" Face Mount (for 4'/6" Dishes) c/w Medium Backing Kits	378
5.927.0111.101	TF-ML4-8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies	505
5.927.0111.101	TF-ML3-8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies	505
5.927.0111.101	MDL-CS-8R	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies	505
5.927.0112.101	TF-M3-14	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits	519
5.927.0131.101	TF-M2S-8	2-Level, 6'-10' Face Mount (for 4'/6" Dishes) c/2 Large Backing Kits and Two Point Stabilizer Arm	530
5.927.0131.102	TF-M3S2-8	2 Level, 6'-10' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits & 2 Stabilizer Arms	630
5.927.0131.102	TFL-ML4S2-8	2 Level, 6'-10' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits & 2 Stabilizer Arms	630
5.927.0132.101	TF-ML4S-14	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm	572
5.927.0132.102	TF-M3S2-14	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and (2) Two Point Stabilizer Arms	630
5.927.0133.101	TF-M2S-14	2-Level, 14'-18' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm	642
5.927.0133.101	TF-M3S-14	2-Level, 14'-18' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm	642

These versatile pipe-to-pipe assemblies are used to secure two pipes at right angles (90°) to each other. Each kit contains a connection plate and four u-bolt assemblies. All parts are hot dip galvanized for maximum corrosion protection.



Picture displayed may not be indicative of the kit selected




Crossover Kits

Adjustable Crossover Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0007.001	CO-100	Crossover Kit and hardware can fit up to 4" (60°) angles, 4-1/2" OD pipes or other members 4-3/4" wide by 4-1/2" deep	19
5.960.0007.001	CO-100	4" Angle to 4" Angle Adjustable Ass'y	20
5.960.0007.001	CO-78	4" Angle to 4" Angle Adjustable Ass'y	20
5.960.1014.201	PM-SL2	(2) Large Adjustable Clip Mount Kits (fits 2-3/8" Pipe)	50
5.960.1014.204	PM-SL4	(2) Large Adjustable Clip Mount Kits (fits 4-1/2" Pipe)	53

The Adjustable Crossover Assembly can mate two variable-sized structural members at 90°. The maximum size of the members is 4-3/4" wide by 4-1/2" deep. This is very useful when the required member size connection is unknown.



Picture displayed may not be indicative of the kit selected

Adjustable Parallel Clamp

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0010.001	GP-S24	Adjustable Parallel Clamp Assembly	9
5.960.0010.001	BC-20-10D	Adjustable Parallel Clamp Assembly	9
5.960.0010.001	BB-S20-14	Adjustable Parallel Clamp Assembly	9
5.960.0010.002	BC-35-14	Adjustable Parallel Clamp Assembly	18
5.960.0010.002	BC-30-10	Adjustable Parallel Clamp Assembly	18
5.960.0010.002	BC-20-10	Adjustable Parallel Clamp Assembly	18
5.960.0010.002	AB-S50	Adjustable Parallel Clamp Assembly	18
5.960.0010.002	BB-S10-10	Adjustable Parallel Clamp Assembly	18
5.960.0010.124	JS-S100-SSH	Large 24" Adjustable Parallel Clamp Assembly	21
5.960.1000.231	PM-SU35-48	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies c/w 3-1/2" OD x 4' Pipe	68
5.960.1006.231	PM-SU2-72	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies c/w 2-3/8" OD x 6' Pipe	59
5.960.1007.001	MT-395	Pipe Mount Includes (2) 4" Angle to 4" Angle Adjustable Assembly Kits with 4.5" OD x 5' Pipe	96
5.960.1010.124	860117A-LP	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)	42
5.960.1010.124	MS-100-SSH	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)	42
5.960.1010.124	MS-100	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)	42
5.960.1010.231	PM-SU2-B	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies	37
5.960.1010.231	PM-SC2-B	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies	37
5.960.1010.231	PM-SU4-B	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies	37
5.960.1010.231	AD-P90-SCP	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies	37

The Adjustable Parallel Clamp Assemblies allow parallel connection of two similar- or dissimilar-sized members. For sizing please review the figures on page 22 and 23 at the back of this catalog. All material is hot dip galvanized.




Backing Assemblies

Small Pole Backing

Trylon Part #	Cross Reference	Description	Ship Weight
5.963.0001.001		Small Backing 'A' Kit allows up to 4-1/2" OD pipes	2.5
5.963.0001.002		Small Backing 'B' Kit allows up to 5 5/8" OD pipes	3.1
5.963.0001.210		Medium Backing 'B' Kit allows up to 5 5/8" OD pipes or 6" (60°) angles	7.4
5.963.0001.310		Universal Medium Backing Kit allows up to 5 5/8" OD pipes or 6" (60°) angles (tapered)	8.9
5.963.1002.002	SM-U2080	(2) Large Backing 'B' Assembly Kits (fits up to 11-1/2" OD Pipe, 8" Angles)	22
5.963.0002.003		Universal Backing Kit allows up to 11" OD pipes or 8" angles (tapered)	13

Backing Assemblies can be purchased separately and will fit almost any standoff or plate configuration. All material is hot dip galvanized.

This comes with two large slotted channels, two 1/2" x 18" threaded rods, and two 1/2" x 1-1/2" bolts. This assembly can fit mating plates up to 3/4" thick and with holes ranging from 4-3/4" to 12" on center. This kit will fit round members up to 11" OD and angles (60° or 90°) up to 8" in size.



Picture displayed may not be indicative of the kit selected

Large Pole Backings

Trylon Part #	Cross Reference	Description	Ship Weight
5.963.0020.001		Large Pole Backing 'A' Kit allows 11" to 18" pole connection	21
5.963.0020.002		Large Pole Backing 'B' Kit allows 11" to 18" pole connection	21
5.963.0020.003		Universal Pole Backing Kit allows 11"-18" tapered pole connection	23
5.963.1002.002	SM-U2080	(2) Large Backing 'B' Assembly kits (fits up to 11 1/2" OD Pipe, 8" Angles)	24

Kits are available in standard 'A', 'B', and Universal kits like the current large backing assemblies, along with additional kits with one u-bolt for simple pipe additions.

LARGE POLE BACKING 'A' ASSEMBLY

This option comes with two 1/2" x 24" threaded rods and two extra large slotted channels. This assembly can join to other plates with 9/16" holes ranging from 2-7/8" to 5-5/8" on center.

LARGE POLE BACKING 'B' ASSEMBLY

Similar to option 'A', but comes complete with two extra 1/2" x 1-1/2" bolts for mounting to standard Trylon mounts. Otherwise, the kit has the same capability as kit 'A' but limited to 3/4" thick plates.



Picture displayed may not be indicative of the kit selected




Tie-Back Kits

Tie-Back Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.963.0004.001		4' long, with up to 3-1/2" or 4-1/2" OD fixed at one end, and up to 3-1/2" OD adjustability at the other end	39
5.963.0004.002		6' long, with up to 3-1/2" or 4-1/2" OD fixed at one end, and up to 3-1/2" OD adjustability at the other end	46
5.963.0004.003	SA-B12	8' long, with up to 3-1/2" or 4-1/2" OD fixed at one end, and up to 3-1/2" OD adjustability at the other end	54
5.960.1056.238	SA-B	Tie Back Bracket Assembly c/w Fixed Crossover Assembly (Pipe not Included)	23
5.960.1056.350	SA-BU	Tie Back Bracket Assembly c/w Universal Crossover Assembly (Pipe not Included)	33
5.951.0006.001	RF-TDK	Roof Mount - Universal 84" Tie-Back Assembly	50

Tie-back Assemblies are commonly used to stabilize antennas and maintain critical azimuth orientation. They are highly recommended with any antenna mount that has a large antenna or separation, and in high wind or heavy ice conditions.

An assortment of 2-3/8" OD tie-backs are offered that meet almost any field application. The two key factors in determining the correct tie-back assembly are the overall length required and the attachments at either end.



Picture displayed may not be indicative of the kit selected

Face Mount Frames


V-Frame Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.1010.100	QT-SF10-B	V-Frame Standoff Sector Mount, 10' Face with strut support, antenna pipes not included.	480
5.927.1010.100	SF-SU10-B	V-Frame Standoff Sector Mount, 10' Face with strut support, antenna pipes not included.	480
5.927.1012.100	SF-QV12-B	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.	500
5.927.1012.100	SF-SU12-B	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.	500
5.927.1012.100	SF-U12-B	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.	500
5.927.1012.372	QT-SF12-3-72	V-Frame Standoff Sector Mount, 12' Face with strut support and (3) 6' antenna pipes	520
5.927.1012.496	SF-SU12-4-96	V-Frame Standoff Sector Mount, 12' Face with strut support and (4) 8' antenna pipes	640

Trylon's versatile V-Frame Sector Mounts are offered in 7', 10', 12' and 14' face widths. These V-Frames are available with up to (4) vertical pipes in various lengths.

These kits come with backing kits that can accommodate various sized tower legs, up to 7-1/2" OD, or 60° and 90° angle legs up to 6" in size.

A 10' long tie-back assembly is also included to stabilize your antennas in high wind or ice conditions.



Picture displayed may not be indicative of the kit selected



Face Mount Frames

Stabilizers

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0101.206	TF-MSS-3	2 Point Stabilizer Arm (fit 3-1/2" pipes)	54
5.927.0101.206	TF-MSS-2	2 Point Stabilizer Arm (fit 3-1/2" pipes)	54
5.927.0101.206	MD-FSST	2 Point Stabilizer Arm (fit 3-1/2" pipes)	54
4.927.0056.001	SA-BL	Stabilizer Bracket Leg (Fits 2-3/8" OD Pipe)	15
5.963.0008.306	MD-CS-6R	Stabilizer Bracket Leg Kit c/w Stabilizer Clip and 6' Pipe	82
5.963.0008.310	MD-CS-10R	Stabilizer Bracket Leg Kit c/w Stabilizer Clip and 10' Pipe	116


The pre-kitted Stabilizer Arm Kits come complete with attachment hardware to attach to our standard face mounted microwave frames, and are often added when more than one outside dish stabilizer is required.



Picture displayed may not be indicative of the kit selected

T-Frame Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.930.1307.206	SF-SU7-2-72	7' T-Frame (2-3/8" Rails) c/w 2' Vertical Standoff, Universal Backing Kits, (2) 2-3/8" x 6' pipes, and 12' Universal Tie Back	415
5.930.0051.013	SF-TP10-3-72	12' T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Large Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back	500
5.930.0071.021	QT-SF12-B	12' Universal T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Universal Backing Plates, and (1) Universal Tie Back	370
5.930.0071.021	SF-SU7-B	12' Universal T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Universal Backing Plates, and (1) Universal Tie Back	370
5.930.0071.023	QT-SF12-3-96	12' Universal T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Universal Backing Plates, (1) Universal Tie Back & (3) 8' Pipes	575
5.930.0071.023	QT-SF10-3-72	12' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' pipes, and 12' Universal Tie Back	575
5.930.0071.024	QT-SF10-4-96	12' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back	575
5.930.0072.023	QT-SF10-3-96	12' Universal T-Frame (3-1/2" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back	587
5.930.0073.023	SF-U12-3-72	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back	549
5.930.0073.024	SF-SU14-4-126	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back	601
5.930.0073.024	QT-SF12-4-96	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back	601
5.930.0073.024	QT-SF12-4-72	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back	601
5.930.0074.021	SF-SU14-B	15' Universal T-Frame (3-1/2" Rails) c/w 3' Vertical Standoff, Universal Backing kits, and 12' Universal Tie Back	462



Picture displayed may not be indicative of the kit selected



Monopole Mounts

Low Profile Platforms

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0050.101	MC-PK12S-B	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly and Platforms	1025
5.927.0050.101	MC-PK8-B	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly and Platforms	1025
5.927.0050.109	MC-PK12S-9-96	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly, Platforms, (9) 8' Pipes	1400
5.927.0050.109	MC-PK12S-9-126	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly, Platforms, (9) 8' Pipes	1400
5.927.0060.012	MC-K12S-9-96	15' Low Profile Platform (fits 12" to 30" Poles) c/w (12) 2-3/8" x 8' Pipes	1375
5.927.0060.201	MC-PK14S-B	15' Low Profile Platform (fits 12" to 30" Poles) with (3) Double Walkways	1260
5.927.0060.209	MC-PK14S-9-96	15' Low Profile Platform (fits 12" to 30" Poles) c/w (9) 2-3/8" x 8' Pipes and (3) Double Walkways	1676
5.927.0064.201	MC-PK14L-B	15' Low Profile Platform (fits 48" to 60" Poles) with (3) Double Walkways	1332

Low Profile Platforms are the most visually appealing co-location monopole solution. They are made standard with a universal ring assembly and three of each of the following: standoffs, knee braces and cross arms. Other options include 2-3/8" x 8' mounting pipes (six, nine or twelve pipes), 12' or 15' overall widths for your antennas, and single or double grated walkways for worker access. These walkways are uniquely designed (in-line with platform face) for adequate space for climbing and transmission line installation.



Picture displayed may not be indicative of the kit selected

Trylon Handrail Systems

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0070.012	MT-195-12	12' Platform Hand Rail System - 12 Pipes	440
5.927.0071.012	MT-195-14	15' Platform Hand Rail System - 12 Pipes	440

Trylon Handrail systems provide an enclosed working area for increased personnel safety, while also adapting both our monopole and rotatable co-location platforms to allow two attachment points for pipe mount kits. This solution is offered in both 12' and 15' widths, and in various point attachment applications (six, nine, or twelve) that connect to our standard 2-3/8" OD pipes. All parts are hot dip galvanized to provide corrosion protection in all environmental conditions.



Picture displayed may not be indicative of the kit selected



Monopole Mounts

Standoff Assemblies


Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0010.304	MC-DPM-B	Monopole Colo Dual Pipe Mount Base Stand-off Arm	48
5.927.0005.001		1' Monopole Standoff Kit	23
5.927.0005.002		2' Monopole Standoff Kit	31
5.927.0005.003		3' Monopole Standoff Kit	38
5.927.0005.035		3-1/2' Monopole Standoff Kit	42
5.927.0005.065		6-1/2' Monopole Standoff Kit	88

These Standoff Assemblies mount directly to Universal Ring Assemblies (ordered separately) through the included 1/2" A325 hardware.

Standard standoffs are available in five lengths: 1', 2', 3', 3-1/2' or 6-1/2'. End pipes (ordered separately) ranging from 2-3/8" OD to 4-1/2" OD can be mounted vertically or horizontally using 1/2" u-bolts (ordered separately) through the eight slotted holes at the mounting end of the standoff.

Adjustable standoffs are available in two lengths, 3' and 4'. They both come with a 4-1/2" OD x 18" long mounting pipe that are typically combined with t-arms (sold separately).

Single arm standoffs are available in two lengths, 2' and 3' and are open-ended designs utilizing a 3-1/2" OD pipe.



Picture displayed may not be indicative of the kit selected

Universal Monopole Ring Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0001.001	MC-RM1030-3	12"-30" Universal Monopole Ring Ass'y	225
5.927.0001.001	MC-RM1030-4	12"-30" Universal Monopole Ring Ass'y	225
5.927.0002.001	MC-RM3060-3	30"-60" Universal Monopole Ring Ass'y	310
5.927.0003.001	MC-RM1550-3	12"-60" Universal Monopole Ring Ass'y	396
5.927.0003.001	RR-RM1560	12"-60" Universal Monopole Ring Ass'y	396
5.927.0003.001	MC-RR1050-3	12"-60" Universal Monopole Ring Ass'y	396
5.927.0080.001	MT-195-8	10' Monopole Co-Location T-Frame c/w 10"-60" Ring Assembly	971
5.927.0084.128	MC-K12S-12-96	15' Monopole Co-Location T-Frame c/w 10"-60" Ring Assembly and (12) 8' Pipes	1497
5.927.1003.101	RM-DM-6	(2) 10"-60" Universal Monopole Ring Assembly c/w 4-1/2" OD x 6' Pipe	866

To keep ordering simple, Trylon designed two Universal Monopole Ring Assemblies that attach to a wide range of pole sizes.

These robust assemblies come complete with three rugged weldments joined by nine heavy-duty threaded rods. The rings can mount to either round poles or multi-sided polygon poles. For attaching, each weldment has slotted holes that can accommodate pipes ranging from 2-3/8" OD to 4-1/2" OD using 1/2" u-bolts, or any other standard Trylon standoff (ordered separately).



Picture displayed may not be indicative of the kit selected



Climbing Ladders

Climbing Ladders

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.1011.001	CL-1210-U	10' Small Cable Ladder, three 12-hole rungs and splice hardware and Large Attachment Hardware	50
5.939.1012.001	CL-1220-U	20' Small Cable Ladder, five 12-hole rungs and splice hardware and Large Attachment Hardware	94
5.939.1017.007	CL-0610-U	10' Small Cable Ladder, three 7-hole rungs and splice hardware and Large Attachment Hardware	45
5.939.0018.004	CL-0420-U	Small 20' Cable Ladder, 5 Rungs (4-hole) and Splice Hardware	83
5.939.1018.007	CL-0620-U	20' Small Cable Ladder, five 7-hole rungs and splice hardware and Large Attachment Hardware	85
5.939.1018.009	CL-0920-U	20' Small Cable Ladder, five 9-hole rungs and splice hardware and Large Attachment Hardware	89
5.918.1007.001	AT-24-4D	20' Solid Round Climbing Ladder	110
5.918.1007.003	EQ-LD	10' Solid Round Climbing Ladder	56

Trylon's cable ladders can be either your light duty or heavy duty waveguide ladder of choice. It's foldable for easy rigging and installation and available in 10' and 20' lengths. It can be installed to any tower structure or attachment span.

The support rungs are offered in four sizes and can accommodate 3/4" snap-in hangers or 7/16" butterfly hangers. The holes are spaced to fit large LDF12 lines, while our 12-hole ladder options area available in both 4' and 3' centers for those areas where site conditions require extra support or heavy line loading.

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0005.002		Small Angle Clip Kit for angle members up to 4" in size*, or round members up to 4-1/2" OD	1.3
5.939.0005.004	HK-CL-U	Small Universal Clip Assembly	3
5.939.0005.012		Large Angle Clip Kit for angle members up to 4" in size*	2.9
5.939.0005.014		Large Universal Clip Kit for angle members up to 4" to 8" in size*, or round members up to 6" OD	3.9

Two attachment kits per 20' section is recommended as a minimum requirement. However, more attachments may be required for heavier loading situations. Call us to see if your site requires more than the minimum number of attachments kits.



Transmission Line Supports

T-Style Transmission Line Bracket

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0030.002	SS-TB2550	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles	14
5.939.0030.002	SS-1FB2550	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles	14
5.939.0030.002	CS-BL-R2	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles	14
5.939.0031.002	SS-TB6080	Medium 16 Line T-Style Bracket Kit (fits up to 11" OD Rounds or 8" Angle Members)	23
5.939.0040.002	SS-2FB2550	16 Line Boomerang T-Style Bracket (fits up to 5-5/8" OD rounds, 4" 90° angles, 5" 60° angles)	27

Trylon's T-Style Transmission Line Brackets were specifically designed to mount directly to any type or sized tower leg. Three sizes are available covering numerous leg options. These brackets may be attached to pipes up to 11" OD, or angles up to 8" (60° or 90°) in size.

The three sizes (small, medium and large) are available in three versions to match your specific line requirements. The shortest option can accommodate 8 runs of 3/4" snap-in hangers or 7/16" butterfly hangers, the middle version can handle 16 runs, whereas the longest option offers 24 runs.

These brackets provide unique flexibility for your changing needs and can be installed either inside or outside the tower leg to avoid nagging obstacles such as tower bracing, leg flanges, or splices. All steel is hot dip galvanized to withstand the elements.



Picture displayed may not be indicative of the kit selected



Transmission Line Supports

Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.951.0010.001	HWK58	Small Bracket Assembly	4
5.951.0010.002	MT-223	Large Bracket Assembly	12
5.951.0010.003	MT-280	Wedge Anchor Assembly	1
5.951.0010.003	SWK58	Wedge Anchor Assembly	1

Standard Wall Mount Brackets provide the ideal concrete wall mounting solution, while minimizing drilling impact during installation. Five assembly options are available: small bracket, large bracket, wedge anchor, adhesive capsule, and clip angle bracket.

The small bracket is installed via a thru-wall two-point connection of 1/2" threaded rods and a small backing plate. The large bracket is installed via a thru-wall four-point connection of 1/2" threaded rods and a larger square backer plate. The wedge anchor is installed with an expansion bolt and is used when partial wall penetration is desired. The adhesive kit includes two tubes for 1/2" anchors. While the clip angle bracket is specific for the Clip Mount Kits on page 77. Note, both the small, large, and clip angle brackets can attach to concrete walls up to 16" thickness, whereas the wedge anchor requires a minimum wall thickness of 4 1/2" for proper anchoring.



Picture displayed may not be indicative of the kit selected

Roof Top Coax Bridge

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0070.004	MT-F1542-11	4 Run Roof-Top Coax Bridge Kit	76
5.939.0070.004	RT-CB4D	4 Run Roof-Top Coax Bridge Kit	76
5.939.0070.008	MT-F1543	8-Run Roof-Top Coax Bridge Kit	116
5.939.0070.008	RT-CB8D	8-Run Roof-Top Coax Bridge Kit	116
5.939.0075.004	MT-F1589	4-Run Wall Coax Support Kit	53

Trylon's Roof Top Coax Bridge Kits are ideal for non-penetrating installations of transmission lines. The galvanized 11ga covers along with three UV-resistant 4" PVC sleepers are available in three widths (4-run, 8-run and 12-run) and come standard in 8' lengths.

The PVC sleepers support the tx lines horizontally on 32" centers while the 3/4" holes for snap-in hangers are spaced far enough to fit large LDF12 (2-1/4") lines. All hardware included.

Cable Trays

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.1178.012	WC-SC4D	12" x 96" Cable Tray	39
5.939.1178.018	WC-SC8D	18" x 96" Cable Tray	50
5.939.0184.118	WB-LB12-3	18" Single Waveguide Bridge Brace Kit (3-1/2")	16
5.939.0184.124	WB-LB24-3	24" Single Waveguide Bridge Brace Kit (fits 3-1/2" pipe)	12

Cable Trays provide support and protection of transmission lines in roof top applications. Their main benefit over traditional roof top coax bridges is that no additional hardware, such as hangers or brackets, are required for transmission line installation as they simply lay inside the tray for routing.

The trays are available in four widths (6", 8", 12", and 18"), and come standard in a 4" deep by 8' long galvanized sheet. Splice hardware and matching screw-down covers are also available and kitted for your purchasing needs.

All material is made from galvanized steel for maximum corrosion resistance, except for the stainless steel cover screws.

Picture displayed may not be indicative of the kit selected



Picture displayed may not be indicative of the kit selected



Waveguide Bridges

Waveguide Bridges

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0100.001		One 12" x 10' Grated Cover c/w two 3-1/2" x 14' Direct Burial Posts and three 1-rung z-trapezes	314
5.939.0101.001		One 12" x 10' Grated Cover c/w two 3-1/2" x 10-1/2' Base Shoe Posts and three 1-rung z-trapezes	296
5.939.0102.001	WB-K110-B	One 12" x 10' Solid Cover c/w two 3-1/2" x 14' Direct Burial Posts and three 2-rung trapezes	360
5.939.0103.001		One 12" x 10' Solid Cover c/w two 3-1/2" x 10-1/2' Base Shoe Posts and three 2-rung trapezes	342
5.939.0108.001	WB-K110-S	One 12" x 10' Solid Cover c/w two 4-1/2" x 10-1/2' Base Shoe Posts and three 2-rung trapezes	415
5.939.0120.001	WB-K210-B	One 24" x 10' Grated Cover c/w two 3-1/2" x 14' Direct Burial Posts and three 1-rung z-trapezes	376
5.939.0120.001	WB-K210-B15	One 24" x 10' Grated Cover c/w two 3-1/2" x 14' Direct Burial Posts and three 1-rung z-trapezes	376
5.939.0121.001		One 24" x 10' Grated Cover c/w two 3-1/2" x 10-1/2' Base Shoe Posts and three 1-rung z-trapezes	358
5.939.0122.001		One 24" x 10' Solid Cover c/w two 3-1/2" x 14' Direct Burial Posts and three 2-rung trapezes	435
5.939.0123.001	WB-K210-S	One 24" x 10' Solid Cover c/w two 3-1/2" x 10-1/2' Base Shoe Posts and three 2-rung trapezes	418

Available in single or double 24" x 10' grated or solid covers. Available with three or six 24" sets of trapezes. Direct Burial posts are available in 3-1/2" or 4-1/2" x 14' options. Base Shoe posts are available in 3-1/2" or 4-1/2" x 10-1/2' options, and are standard with ground tab and wedge anchors. Order wedge anchor kits separately



Picture displayed may not be indicative of the kit selected



Picture displayed may not be indicative of the kit selected

WGB Components

Waveguide Bridge Covers

Trylon Part #	Cross Reference	Description	Ship Weight
5.963.1191.120	WB-CY110	11-3/4" x 120" Open Grated Cover	61
5.963.1192.120		10' Safety Grated Cover, 18" wide	85
5.963.1193.120	WB-CY210	24" x 10' Safety Grated Cover	110
5.939.1172.001		10' Solid Cover, 24" wide	135
5.939.1172.002		10' Solid Cover, 18" wide	113
5.939.1172.003		10' Solid Cover, 12" wide	83

Waveguide Bridge Covers can support horizontal runs of transmission lines. They come standard in either 5' or 10' lengths and are offered in three widths (12", 18", and 24"). All open-serrated diamond-shaped grating are made from 12-gauge steel. Whereas all pre-punch solid channel covers are made from 11-gauge steel material.



Picture displayed may not be indicative of the kit selected



Picture displayed may not be indicative of the kit selected



WGB Components


Trapeze Kits

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0186.012	WB-T12-3	12" Trapeze Assembly	8
5.939.0186.024	WB-T24-3	24" Trapeze Assembly	14
5.939.0186.024	WB-TT24	24" Trapeze Assembly	14
5.939.0187.012		12" 2-Rung Trapeze, includes (8) 3/4" and (12) 7/16" holes	12
5.939.0187.018		18" 2-Rung Trapeze, includes (20) 3/4" and (24) 7/16" holes	15
5.939.0187.024		24" 2-Rung Trapeze, includes (28) 3/4" and (32) 7/16" holes	17
5.939.0188.112	MT-357-12	12" Z-Trapeze (7-Line) Kit	4
5.939.0188.112	WB-TS12	12" Z-Trapeze (7-Line) Kit	4
5.939.0188.112	ZB-H4	12" Z-Trapeze (7-Line) Kit	4
5.939.0188.112	WB-TS24	12" Z-Trapeze (7-Line) Kit	4
5.939.0188.124	MT-357-24	24" Z-Trapeze (14-Line) Kit	7
5.939.0188.212	WB-TD24	Double 12" Z-Trapeze (14-line) Kit	7
5.939.0188.212	WB-TK12D	Double 12" Z-Trapeze (14-line) Kit	7
5.939.0188.218	ZB-H12	Double 18" Z-Trapeze (22-Line) Kit	10
5.939.0188.224	WB-TK24D	Double 24" Z-Trapeze (28-line) Kit	14
5.939.0102.001	WB-K110-B	12" SWGB c/w (1) 12" x 10' Solid Cover, (3) 2 Rung 12" Trapezes, and (2) 3 1/2"x14' Direct Burial Posts	410
5.939.0108.001	WB-K110-S	12" SWGB c/w (1) 12" x 10' Solid Grating, (3) 2 Rung 12" Trapezes, and (2) 4 1/2"x10' Base Shoe Posts	460
5.939.0120.001	WB-K210-B	24" SWGB c/w (1) 24" x 10' Grated Cover, (3) 1 Rung 24" Z-Trapeze, and (2) 3 1/2"x14' Direct Burial Posts	460
5.939.0120.001	WB-K210-B15	24" SWGB c/w (1) 24" x 10' Grated Cover, (3) 1 Rung 24" Z-Trapeze, and (2) 3 1/2"x14' Direct Burial Posts	460

The Trapeze Kits are offered in three styles: standard 3-rung trapezes for open-grated covers, 2-rung trapezes for solid covers, and 1- or 2-rung z-trapezes for open-grated covers. Each style has its own unique advantage and is offered in three widths (12", 18", and 24") mated to our covers.

All trapezes come standard with both 3/4" snap-in holes and 7/16" butterfly hanger holes for installation of transmission lines. The quantity of holes depends on the style and option of trapeze purchased.

All hardware is included for installation. All threaded rods are stainless steel and all trapezes are hot dip galvanized to weather the elements.



Picture displayed may not be indicative of the kit selected



WGB Components

Post Assemblies

Trylon Part #	Cross Reference	Description	Ship Weight
5.939.0180.001	MF-130	3½" x 14' Direct Burial Post Ass'y	113
5.939.0181.011	MF-126	3½" x 10½' Base Shoe Post & Cap	88
5.939.0181.011	MF-280	3½" x 10½' Base Shoe Post & Cap	88
5.939.0181.001		3-1/2" x 10-1/2' Base Shoe Post Assembly	104
5.939.0180.002		4-1/2" x 14' Direct Burial Post Assembly	160
5.939.0181.002		4-1/2" x 10-1/2' Base Shoe Post Assembly	140
5.939.0181.012		4-1/2" x 10-1/2' Base Shoe Post & Cap	134

The post assemblies are offered in two styles, direct burial and base shoe, to meet your site-specific requirements.

The direct burial post is available as either a 3-1/2" OD x 14' long or 4-1/2" OD x 14' long pipe with a pipe head cover. Both options require a minimum of 3-1/2' embedment into concrete for a secure footing.

The base shoe post is available as either a 3-1/2" OD x 10-1/2' long pipe or 4-1/2" OD x 10-1/2' long pipe, both with a pipe head and four 1/2" x 18" long wedge anchors.

All post options allow height adjustments up to 10' for the waveguide bridge cover. All material is hot dip galvanized.



Roof Mounts


Roof Top Ballast Frames

Trylon Part #	Cross Reference	Description	Ship Weight
5.951.0107.001	RF-N7-B	7' Wide Roof Ballast Frame	267
5.951.0107.208	RF-N7-2-96	7' Wide Roof Ballast Frame c/w (2) 2-3/8" x 8' Pipe	334
5.951.0112.001	RF-N10-B	12' Wide Roof Ballast Frame	294
5.951.0112.001	RF-N12-B	12' Wide Roof Ballast Frame	294
5.951.0112.308	RF-N12-3-96	12' Wide Roof Ballast Frame c/w (3) 2-3/8" x 8' Pipe	392
5.951.0112.310	RF-N10-3-126	12' Wide Roof Ballast Frame c/w (3) 2-3/8" x 10' Pipe	415
5.951.0115.001	RF-N14-B	15' Wide Roof Ballast Frame	309
5.951.0115.308	RF-N14-3-96	15' Wide Roof Ballast Frame with (3) 2-3/8" x 8' Pipes	407
5.951.0115.408	RF-N12-4-96	15' Wide Roof Ballast Frame with (4) 2-3/8" x 8' Pipes	439

Non-penetrating Roof Top Ballast Frames enable the installation of an entire sector of wireless antennas. The frame's bottom surface is smooth to prevent roof damage and secured using standard concrete blocks (8" x 8" x 16" in size and sold separately).

The Frames are available in 7', 12', and 15' overall face widths ensuring adequate antenna separation to suit your needs. Optional 2-3/8" pipes are pre-kitted in various lengths (72", 96", and 120"). Otherwise, our angle mounts have slotted holes to allow any length of pipes from 1-7/8" to 3-1/2" OD to be installed.

All material is hot to galvanize to resist corrosion damage.



Roof Mounts

Ballast Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.951.0017.160	RM-SM238-60	LD Ballast Mount with 1.900" x 60" Pipe Mount	63
5.951.0017.160	RM-SM190-60	LD Ballast Mount with 1.900" x 60" Pipe Mount	63
5.951.0029.005	TP-G238-72	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 5' Pipe	173
5.951.0029.005	TP-G238-96	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 5' Pipe	173
5.951.0029.015	WT-TMA-96	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 15' Pipe	219

The non-penetrating Light Duty Ballast Mounts can secure single wireless antennas while keeping the roof top surface free from damage.

The smooth underside of the 36" square base frame allows standard concrete blocks, 8" x 8" x 16" in size and sold separately, to be used as counterweight. Kits can be purchased with either a 1-9/10" OD or 2-3/8" OD pipes sizes in varying lengths.

All material is hot dip galvanized to weather the elements.

Picture displayed may not be indicative of the kit selected



Roof Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.951.0030.010	TP-G312-126	Heavy Duty Roof Mount with 3-1/2" OD x 10' Pipe Mount	312
5.951.0040.010	TP-G412-B	Heavy Duty Roof Mount with 4-1/2" OD x 10' Pipe Mount	346
5.951.0040.010	TP-G412-126	Heavy Duty Roof Mount with 4-1/2" OD x 10' Pipe Mount	346

The non-penetrating Light Duty Ballast Mounts can secure single wireless antennas while keeping the roof top surface free from damage.

The smooth underside of the 36" square base frame allows standard concrete blocks, 8" x 8" x 16" in size and sold separately, to be used as counterweight. Kits can be purchased with either a 1-9/10" OD or 2-3/8" OD pipes sizes in varying lengths.

All material is hot dip galvanized to weather the elements.

Picture displayed may not be indicative of the kit selected



Roof Mounts



Expandable Roof Mounts

Trylon Part #	Cross Reference	Description	Ship Weight
5.951.0065.001		7' x 7' Base (4 1/2" x 8' pipe)	N/A
5.951.0065.002		7' x 7' Base (4 1/2" x 8' pipe)	N/A

Trylon's Expandable Roof Mounts can install up to four antennas in a sector. As with the standard roof mounts, these mounts also have the ability to pan $\pm 2^\circ$ to accommodate sloped roof tops.

Each Expandable Roof Mount can come with up to four optional accessories. These accessories can be used in any configuration to create a completely customized Roof Mount to suit your need. They are shown below.

Picture displayed may not be indicative of the kit selected



Optional Accessories for Rooftop Mount

Trylon Part #	Cross Reference	Description	Ship Weight
4.951.0040.001		End Mast	N/A
5.930.0305.204		5' Wireless frame c/w (2) 4' pipes	N/A
5.951.0066.002		Ballast Extension Tray Kit	N/A
5.951.0001.016		RRU Mount	N/A



Wall Mounts

Adjustable Clip Mount Kits

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0011.301	MT-250	Small Wall Mount Assembly (Does not Include Pipe)	26
5.960.0011.301	MT-250L	Small Wall Mount Assembly (Does not Include Pipe)	26
5.960.1012.203	WMA312	(2) Medium Clip Mount Kit (fits 3-1/2" OD Pipe)	27
5.960.1014.201	PM-SL2	(2) Large Adjustable Clip Mount Kits (fits 2-3/8" Pipe)	50
5.960.1014.204	PM-SL4	(2) Large Adjustable Clip Mount Kits (fits 4-1/2" Pipe)	53
5.960.4014.204	PM-SL4-63	(2) Large Adjustable Clip Mount Kits c/w 4-1/2" x 5' pipe	109
(1) 5.960.1066.006 + 5.960.1014.201	PM-SL2-72	(2) Large Adjustable Clip Mount Kit c/w 2-3/8" OD x 6' Pipe	72
5.930.7006.024	PM-SU4-63	(2) Medium 24" Adjustable Parallel Clamp Assembly Kits with 4.5" OD x 5' Pipe	24.0
5.960.1014.300	MT-221	Hollow Wall Mount Assembly (Pipe not Included)	60

Our Clip Mount Kits are an extension of the adjacent clip angle kits but come standard with an additional reversible bottom angle. All material is hot dip galvanized to for maximum protection.

Fully Compressed



Picture displayed may not be indicative of the kit selected

Fully Expanded



Picture displayed may not be indicative of the kit selected

Stabilizer Clip Kit

Trylon Part #	Cross Reference	Description	Ship Weight
5.927.0100.001	TF-MSS-BK2	Stabilizer Clip Kit (fits 2-3/8" OD pipe)	7
5.927.0100.003	TF-MSS-BK	Stabilizer Clip Kit (fits 3-1/2" OD pipe)	8
5.927.0100.004	MDL-CSL	Stabilizer Clip Kit (fits 4-1/2" OD Pipe)	9

Our Clip Mount Kits are an extension of the adjacent clip angle kits but come standard with an additional reversible bottom angle. All material is hot dip galvanized to for maximum protection.



Picture displayed may not be indicative of the kit selected



Ice Shields

Ice Shield Kits

Trylon Part #	Cross Reference	Description	Ship Weight
5.933.0410.101	MD-SQ2	2' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)	234
5.933.0411.002	MD-IS4	4'6' Ice Shield Assembly c/w 12' Tie Back	431
5.933.0411.003	MD-SQ4	4'6' Ice Shield Assembly (Does not Include Tie Back)	370
5.933.0411.102	MD-S6	4'6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)	470
5.933.0411.102	MD-S4	4'6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)	470
5.933.0411.102	MD-S3	4'6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)	470
5.933.0412.101	MD-S8	8' Ice Shield Assembly c/w 12' Tie Back and 1' Vertical Standoff Mount	675
5.933.0413.101	MD-S10	10' Ice Shield Assembly c/w 12' Tie Back and 1' Vertical Standoff Mount	856
5.933.0414.001	MDS15	12' Ice Shield Assembly c/w 12' Tie Back	1224
5.933.0414.001	MDS17	12' Ice Shield Assembly c/w 12' Tie Back	1224

Ice Shield Kits are designed to protect parabolic or high performance dishes up to 15' in diameter. Depending on the shield and site requirements, they are capable of attaching up to 4-1/2" OD round members with the standard attachment hardware. Long 12' tie-backs are provided to better orientate and stabilize the ice shield above the dish. Ice shields typically require various sized standoffs to fully cover the accompanying dish. With this in mind, Trylon has matched each ice shield with appropriately sized standoffs and backing hardware to accommodate almost any tower leg size. Call us for more details. All material is hot dip galvanized.

Pipe Mounts

Pipe Mount Kits

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.0022.104		2 3/8" x 4' Pipe c/w (1) 2 3/8"-3-1/2" FCO	25
5.960.0022.106	MT-219-72	2 3/8" x 6' Pipe c/w (1) 2 3/8"-3-1/2" FCO	33
5.960.0022.108	MT-220	2 3/8" x 8' Pipe c/w (1) 2 3/8"-3-1/2" FCO	40
5.960.0022.110		2 3/8" x 10' Pipe c/w (1) 2 3/8"-3-1/2" FCO	48
5.960.0022.112		2 3/8" x 12' Pipe c/w (1) 2 3/8"-3-1/2" FCO	56

Trylon's Pipe Mount Kits are offered in a full array of alternatives that cover almost every antenna installation possibility. These kits are ideal for mounting to other kits (such as T-frames, Wireless Frames and Standoffs) to create additional antenna capacity. Each kit comes with one pipe and either a single or double crossover kit. The pipes are standardized in either 2-3/8", 3-1/2", or 4-1/2" OD pipe sizes and in 2' incremental lengths. While the crossover kits are matched to both the included pipe and connecting horizontal pipe size.

All material hot dip galvanized for maximum protection.



Picture displayed may not be indicative of the kit selected



Miscellaneous Hardware

Bulk Pipes

Trylon Part #	Cross Reference	Description	Ship Weight
5.960.1066.002	MT-648	2-3/8" OD x 2' Pipe	8
5.960.1066.003	MT-649	2-3/8" OD x 3' Pipe	11
5.960.1066.004	MT-650	2-3/8" OD x 4' Pipe	15
5.960.1066.005	MT-650-63	2-3/8" OD x 5' Pipe	18
5.960.1066.006	MT-651	2-3/8" OD x 6' Pipe	23
5.960.1066.008	MT-651-96	2-3/8" OD x 8' Pipe	30
5.960.1066.009	MT-651-108	2-3/8" OD x 9' Pipe	34
5.960.1066.010	MT-651-114	2-3/8" OD x 10' Pipe	39
5.960.1066.011	MT-537	2-3/8" OD x 11' Pipe	43
5.960.1066.012	MT-651-150	2-3/8" OD x 12' Pipe	46
5.960.1066.014	MT-537-170	2-3/8" OD x 14' Pipe	54
5.960.1066.016	MT-537-186	2-3/8" OD x 16' Pipe	61
5.960.1066.020	MT-542	2-3/8" OD x 20' Pipe	77
5.960.1066.021	MT-538	2-3/8" OD x 21' Pipe	80
5.960.1166.008	MT-541-96	2-3/8" OD x 8' Aluminum Pipe	43
5.960.1166.010	MT-541	2-3/8" OD x 10' Aluminum Pipe	39
3.960.0066.007	MT-651-84	2-3/8" OD x 7' Pipe	26
3.960.0067.004	MT-546-48	2-7/8" OD x 4' Pipe	24
5.960.1067.007	MT54684	2-7/8" OD x 7' Pipe	43
5.960.1067.008	MT54696	2-7/8" OD x 8' Pipe	49
5.960.1067.010	MT-546-120	2-7/8" OD x 10' Pipe	61
5.960.1067.011	MT-546-126	2-7/8" OD x 11' Pipe	67
5.960.1067.012	MT-546-150	2-7/8" OD x 12' Pipe	73
5.960.1068.007	MT54784	3-1/2" OD x 7' Pipe	54
5.960.1068.008	MT-547-96	3-1/2" OD x 8' Pipe	62
5.960.1068.009	MT-547-108	3-1/2" OD x 9' Pipe	72
5.960.1068.011	MT-547-126	3-1/2" OD x 11' Pipe	85
5.960.1068.013	MT-21601	3-1/2" OD x 13' Pipe	104
5.960.1068.015	MT-547-174	3-1/2" OD x 15' Pipe	116
5.960.1068.021	MT-547	3-1/2" OD x 21' Pipe	168
5.960.1070.003	MT-652	4-1/2" OD x 3' Pipe	34
5.960.1070.004	MT-653	4-1/2" OD x 4' Pipe	46
5.960.1070.005	MT-653-63	4-1/2" OD x 5' Pipe	57
5.960.1070.006	MT-654	4-1/2" OD x 6' Pipe	65
5.960.1070.008	MT-654-96	4-1/2" OD x 8' Pipe	91
5.960.1070.011	MT-539	4-1/2" OD x 11' Pipe	125
5.960.1070.013	MT-654-150	4-1/2" OD x 13' Pipe	148

Bulk Pipe comes in various sizes and lengths, available up to 4-1/2" OD.

All pipe are hot dip galvanized and meet ASTM Material Specification Grade A500C or better.



Picture displayed may not be indicative of the kit selected



Miscellaneous Hardware

Miscellaneous Hardware			
Trylon Part #	Cross Reference	Description	Ship Weight
5.1103560	MT-527	2-1/2" x 2-1/2" x 3/16" Hot Dip Galvanized Angle (20' Long)	?
5.1103566	MT-530	3" x 3" x 1/4" Hot Dip Galvanized Angle (20' Long)	?
5.1201050	GN-03	(20) 3/8" Hex Nuts Gr. 5	0.4
5.1201050	SN-03	(20) 3/8" Hex Nuts Gr. 5	0.4
5.1201051	GWL-03	(20) 3/8" Lock Washers Gr.5 - Hot Dip Galvanized	0.3
5.1201053	GWF-03	(20) 3/8" Flat Washers Gr.5 - Hot Dip Galvanized	0.3
5.1201120	GN-04	(20) 1/2" Hex Nuts Gr.5 - Hot Dip Galvanized	1.5
5.1201121	GWL-04	(20) 1/2" Lock Washers Gr.5 - Hot Dip Galvanized	0.2
5.1201121	GWF-04	(20) 1/2" Lock Washers Gr.5 - Hot Dip Galvanized	0.2
5.1201162	GWF-05	(20) 5/8" Flat Washers Gr.5 - Hot Dip Galvanized	1
5.1202021	GB-04145	(20) 1/2" x 1-1/2" A325 Bolt Assembly pack	5
5.1202043	GB-05205	(20) 5/8" x 2" A325 Bolt Assembly Pack	9
5.1211061	SB-0310	Hex Bolt 3/8" X 1", Stainless Steel (includes nut, bolt and washer)	0.14
5.1404010	TW-50	(20) Ty-Rap Kit - 1/4" x 13.4" Long	1
5.2204020	RM-A800	Hose Clamp (MAH-4)	#N/A
1201053	SWF-03	3/8" Flat Washer Gr. 5	0.01
1207053	SWL-03	3/8" Stainless Steel Lock Washer	0
2201901	PC-034	Post Cap (fits 3-1/2" OD pipe)	1
2205077	CT-P50	4' x 6' x 1/2" Rubber Mat	84
3.912.0006.001	RGC5800	8' Long Ground Rod	9
3.912.0006.001	MT-576	8' Long Ground Rod	9
3.939.0226.004	RTCB4D01	4-Line Roof Channel	63
3.939.0226.104	MT-F1598	4-Line PVC Sleeper	3.5
3.939.0226.104	MT-F1724	4-Line PVC Sleeper	3.5
3.939.0226.108	MT-F1599	8-Line PVC Sleeper	4.8
3.939.0226.112	MT-F1600	12-Line PVC Sleeper	7
3.939.0226.196	MT-F1585	8' PVC Sleeper	20

Miscellaneous Assemblies			
Trylon Part #	Cross Reference	Description	Ship Weight
4.963.0001.205	GUB-4240	1/2" U-Bolt Assembly (fits 2-3/8" pipe)	1
4.963.0001.208	GUB-4352	1/2" U-Bolt Assembly (fits 2-7/8" pipe)	3
5.963.1001.206	GUB-4355	(10) 1/2" U-Bolts (fit 3-1/2" OD Rounds)	9
5.963.1001.206	GUB-4356	(10) 1/2" U-Bolts (fit 3-1/2" OD Rounds)	9
5.963.1001.207	GUB-5456	(10) 1/2" U-Bolts (fit 4-1/2" OD Rounds)	11
5.963.1001.207	GUB-4456	(10) 1/2" U-Bolts (fit 4-1/2" OD Rounds)	11
5.963.1001.009	GUB-53560	5/8" U-Bolt Kit (fits 3" OD Rounds)	19
5.963.1001.086	JB-8K	(10) 3/8" x 7" J-Bolt Kit (2-1/2" Thread)	3
4.963.0019.208	MT-379-8	1/2" x 8" Long Threaded Rod Assembly	1



Kit Maximum Example

Kit Maximum Example

Adjustable Parallel Clamp Kit Maximums
























ADJUSTABLE PARALLEL CLAMP KIT MAXIMUMS (5.960.0010.001, 5.960.0010.018 and 5.960.0010.024)															
KIT 5.960.0010.001 MAXIMUMS															
2-3/8" ROUND UP TO 5-5/8" ROUND	3-1/2" ROUND UP TO 5-5/8" ROUND	4-1/2" ROUND UP TO 4-1/2" ROUND	5-5/8" ROUND UP TO 3-1/2" ROUND												
4" (90°) ANGLE UP TO 5-5/8" ROUND	5" (90°) ANGLE DOES NOT WORK	5" (60°) ANGLE UP TO 4-1/2" ROUND	6" (60°) ANGLE DOES NOT WORK												
KIT 5.960.0010.018 MAXIMUMS															
2-3/8" ROUND UP TO 6" ROUND	3-1/2" ROUND UP TO 5" ROUND	4-1/2" ROUND UP TO 4-1/2" ROUND	5-5/8" ROUND UP TO 3" ROUND												
3" (60°) ANGLE UP TO 6" ROUND	4" (90°) ANGLE UP TO 6" ROUND	6" (60°) ANGLE UP TO 3-1/2" ROUND	5" (90°) ANGLE UP TO 4-1/2" ROUND												
KIT 5.960.0010.024 MAXIMUMS															
2-3/8" ROUND UP TO 8" ROUND	3-1/2" ROUND UP TO 8" ROUND	4-1/2" ROUND UP TO 8" ROUND	5-5/8" ROUND UP TO 8" ROUND												
3" (60°) ANGLE UP TO 8" ROUND	4" (90°) ANGLE UP TO 8" ROUND	6" (60°) ANGLE UP TO 8" ROUND	5" (90°) ANGLE UP TO 8" ROUND												
NOTES: 1) FOR ILLUSTRATION PURPOSES ONLY 2) TOP VALUE REPRESENTS SOME STANDARD PIPE/ROUND AND ANGLE SIZES 3) BOTTOM VALUE REPRESENTS MAXIMUM ROUND ATTACHMENT POSSIBLE 4) CALL US IF YOUR ATTACHMENTS DIFFER SUBSTANTIALLY FROM ABOVE 5) ALL MATERIAL HOT DIP GALVANIZED															
		<table border="1"> <tr> <td>CUSTOMER: ANY CUSTOMER</td> <td>SITE: ANY WHERE</td> <td>SCALE: NTS</td> </tr> <tr> <td>DATE: SEP 2003</td> <td>BY: MLP</td> <td>CHK: --</td> </tr> <tr> <td colspan="2">TITLE: ADJUSTABLE PARALLEL CLAMPS</td> <td>APP: --</td> </tr> <tr> <td colspan="2"></td> <td>DRAWING NO. N/A</td> </tr> </table>		CUSTOMER: ANY CUSTOMER	SITE: ANY WHERE	SCALE: NTS	DATE: SEP 2003	BY: MLP	CHK: --	TITLE: ADJUSTABLE PARALLEL CLAMPS		APP: --			DRAWING NO. N/A
CUSTOMER: ANY CUSTOMER	SITE: ANY WHERE	SCALE: NTS													
DATE: SEP 2003	BY: MLP	CHK: --													
TITLE: ADJUSTABLE PARALLEL CLAMPS		APP: --													
		DRAWING NO. N/A													



Kit Maximum Example

Kit Maximum Example

Adjustable Parallel Clamp Kit Maximums

ADJUSTABLE PARALLEL CLAMP KIT MAXIMUMS (5.960.0010.118, 5.960.0010.124 and 5.960.0010.226)																									
KIT 5.960.0010.118 MAXIMUMS																									
2-3/8" ROUND  UP TO 5" ROUND	3-1/2" ROUND  UP TO 4" ROUND	4-1/2" ROUND  UP TO 3" ROUND	5-5/8" ROUND  UP TO 2" ROUND																						
4" (90°) ANGLE  UP TO 4-1/2" ROUND	5" (90°) ANGLE  UP TO 3-1/2" ROUND	5" (60°) ANGLE  UP TO 3" ROUND	6" (60°) ANGLE  UP TO 2-3/8" ROUND																						
KIT 5.960.0010.124 MAXIMUMS																									
2-3/8" ROUND  UP TO 11" ROUND	3-1/2" ROUND  UP TO 10" ROUND	4-1/2" ROUND  UP TO 9" ROUND	5-5/8" ROUND  UP TO 7-1/2" ROUND																						
4" (90°) ANGLE  UP TO 10" ROUND	5" (90°) ANGLE  UP TO 9" ROUND	5" (60°) ANGLE  UP TO 8-3/4" ROUND	6" (60°) ANGLE  UP TO 8" ROUND																						
KIT 5.960.0010.226 MAXIMUMS				KIT 5.960.0010.231 MAXIMUMS																					
UP TO 3" OD ROUND 	UP TO 3" OD ROUND 	UP TO 4" (90°) ANGLE 	UP TO 3.5" (60°) ANGLE 	UP TO 6" OD ROUND 	UP TO 6" OD ROUND 	UP TO 5" (90°) ANGLE 	UP TO 6" (60°) ANGLE 																		
UP TO 8" (60°) ANGLES	UP TO 8" (90°) ANGLES	UP TO 11" OD ROUND	UP TO 11" OD ROUND	UP TO 8" (60°) ANGLES	UP TO 8" (90°) ANGLES	UP TO 11" OD ROUND	UP TO 11" OD ROUND																		
<p>NOTES:</p> <ol style="list-style-type: none"> FOR ILLUSTRATION PURPOSES ONLY TOP VALUE REPRESENTS SOME STANDARD PIPE/ROUND AND ANGLE SIZES BOTTOM VALUE REPRESENTS MAXIMUM ROUND ATTACHMENT POSSIBLE CALL US IF YOUR ATTACHMENTS DIFFER SUBSTANTIALLY FROM ABOVE ALL MATERIAL HOT DIP GALVANIZED 				<table border="1"> <tr> <td>CUSTOMER:</td> <td>SITE:</td> <td>SCALE:</td> </tr> <tr> <td>ANY CUSTOMER</td> <td>ANY WHERE</td> <td>NTS</td> </tr> <tr> <td>DATE:</td> <td>BY:</td> <td>CHK:</td> </tr> <tr> <td>SEP 2003</td> <td>MLP</td> <td>--</td> </tr> <tr> <td colspan="2">TITLE:</td> <td>DRAWING NO.:</td> </tr> <tr> <td colspan="2">ADJUSTABLE PARALLEL CLAMPS</td> <td>N/A</td> </tr> </table>				CUSTOMER:	SITE:	SCALE:	ANY CUSTOMER	ANY WHERE	NTS	DATE:	BY:	CHK:	SEP 2003	MLP	--	TITLE:		DRAWING NO.:	ADJUSTABLE PARALLEL CLAMPS		N/A
CUSTOMER:	SITE:	SCALE:																							
ANY CUSTOMER	ANY WHERE	NTS																							
DATE:	BY:	CHK:																							
SEP 2003	MLP	--																							
TITLE:		DRAWING NO.:																							
ADJUSTABLE PARALLEL CLAMPS		N/A																							



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.1103560	MT-527	25	2-1/2" x 2-1/2" x 3/16" Hot Dip Galvanized Angle (20' Long)
5.1103566	MT-530	25	3" x 3" x 1/4" Hot Dip Galvanized Angle (20' Long)
5.1201050	GN-03	25	(20) 3/8" Hex Nuts Gr. 5
5.1201051	GWL-03	25	(20) 3/8" Lock Washers Gr.5 - Hot Dip Galvanized
5.1201053	GWF-03	25	(20) 3/8" Flat Washers Gr.5 - Hot Dip Galvanized
5.1201120	GN-04	25	(20) 1/2" Hex Nuts Gr.5 - Hot Dip Galvanized
5.1201121	GWL-04	25	(20) 1/2" Lock Washers Gr.5 - Hot Dip Galvanized
5.1201162	GWF-05	25	(20) 5/8" Flat Washers Gr.5 - Hot Dip Galvanized
5.1202021	GB-04145	25	(20) 1/2" x 1-1/2" A325 Bolt Assembly pack
5.1202043	GB-05205	25	(20) 5/8" x 2" A325 Bolt Assembly Pack
5.1211061	SB-0310	25	Hex Bolt 3/8" X 1", Stainless Steel (includes nut, bolt and washer)
5.1404010	TW-50	25	(20) Ty-Rap Kit - 1/4" x 13.4" Long
5.2204020	RM-A800	25	Hose Clamp (MAH-4)
1201053	SWF-03	25	3/8" Flat Washer Gr. 5
1207053	SWL-03	25	3/8" Stainless Steel Lock Washer
2201901	PC-034	25	Post Cap (fits 3-1/2" OD pipe)
2205077	CT-P50	25	4' x 6' x 1/2" Rubber Mat
(1) 5.960.1066.006 + 5.960.1014.201	PM-SL2-72	22	(2) Large Adjustable Clip Mount Kit c/w 2-3/8" OD x 6' Pipe
3.912.0006.001	RGC5800	25	8' Long Ground Rod
3.912.0006.001	MT-576	25	8' Long Ground Rod
3.939.0226.004	RTCB4D01	25	4-Line Roof Channel
3.939.0226.104	MT-F1598	25	4-Line PVC Sleeper
3.939.0226.104	MT-F1724	25	4-Line PVC Sleeper
3.939.0226.108	MT-F1599	25	8-Line PVC Sleeper
3.939.0226.112	MT-F1600	25	12-Line PVC Sleeper
3.939.0226.196	MT-F1585	25	8' PVC Sleeper
4.927.0056.001	SA-BL	12	Stabilizer Bracket Leg (Fits 2-3/8" OD Pipe)
3.960.0066.007	MT-651-84	24	2-3/8" OD x 7' Pipe
3.960.0067.004	MT-546-48	24	2-7/8" OD x 4' Pipe
4.927.0063.001	MTC3326DHD	6	2-Way RRU Mount
4.927.0064.001	PM-RU3	6	3-Way RRU Mount
4.927.0064.001	PM-RU3T	6	3-Way RRU Mount
4.963.0001.205	GUB-4240	25	1/2" U-Bolt Assembly (fits 2-3/8" pipe)
4.963.0001.208	GUB-4352	25	1/2" U-Bolt Assembly (fits 2-7/8" pipe)
4.963.0019.208	MT-379-8	25	1/2" x 8" Long Threaded Rod Assembly
5.918.1007.001	AT-24-4D	15	20' Solid Round Climbing Ladder
5.918.1007.003	EQ-LD	15	10' Solid Round Climbing Ladder
5.927.0001.001	MC-RM1030-3	14	12"-30" Universal Monopole Ring Ass'y
5.927.0001.001	MC-RM1030-4	14	12"-30" Universal Monopole Ring Ass'y
5.927.0002.001	MC-RM3060-3	14	30"-60" Universal Monopole Ring Ass'y
5.927.0003.001	MC-RM1550-3	14	12"-60" Universal Monopole Ring Ass'y
5.927.0003.001	RR-RM1560	14	12"-60" Universal Monopole Ring Ass'y
5.927.0003.001	MC-RR1050-3	14	12"-60" Universal Monopole Ring Ass'y
5.927.0005.035	MC-SA40-B	5	3-1/2" Monopole Standoff Kit



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.927.0005.103	MT-197	5	3' Adjustable Monopole Standoff Kit
5.927.0005.103	MT-197-24	5	3' Adjustable Monopole Standoff Kit
5.927.0050.101	MC-PK125-B	13	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly and Platforms
5.927.0050.101	MC-PK8-B	13	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly and Platforms
5.927.0050.109	MC-PK125-9-96	13	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly, Platforms, (9) 8' Pipes
5.927.0050.109	MC-PK125-9-126	13	12' Low Profile Co-Location Platform c/w 12"-30" Ring Assembly, Platforms, (9) 8' Pipes
5.927.0060.012	MC-K125-9-96	13	15' Low Profile Platform (fits 12" to 30" Poles) c/w (12) 2-3/8" x 8' Pipes
5.927.0060.201	MC-PK145-B	13	15' Low Profile Platform (fits 12" to 30" Poles) with (3) Double Walkways
5.927.0060.209	MC-PK145-9-96	13	15' Low Profile Platform (fits 12" to 30" Poles) c/w (9) 2-3/8" x 8' Pipes and (3) Double Walkways
5.927.0064.201	MC-PK14L-B	13	15' Low Profile Platform (fits 48" to 60" Poles) with (3) Double Walkways
5.927.0070.012	MT-195-12	13	12' Platform Hand Rail System - 12 Pipes
5.927.0071.012	MT-195-14	13	15' Platform Hand Rail System - 12 Pipes
5.927.0080.001	MT-195-8	14	10' Monopole Co-Location T-Frame c/w 10"-60" Ring Assembly
5.927.0084.128	MC-K125-12-96	14	15' Monopole Co-Location T-Frame c/w 10"-60" Ring Assembly and (12) 8' Pipes
5.927.0100.001	TF-MSS-BK2	22	Stabilizer Clip Kit (fits 2-3/8" OD pipe)
5.927.0100.003	TF-MSS-BK	22	Stabilizer Clip Kit (fits 3-1/2" OD pipe)
5.927.0100.004	MDL-CSL	22	Stabilizer Clip Kit (fits 4-1/2" OD Pipe)
5.927.0101.206	TF-MSS-3	12	2 Point Stabilizer Arm (fit 3-1/2" pipes)
5.927.0101.206	TF-MSS-2	12	2 Point Stabilizer Arm (fit 3-1/2" pipes)
5.927.0101.206	MD-FSST	12	2 Point Stabilizer Arm (fit 3-1/2" pipes)
5.927.0110.201	TF-GM6-63	8	2-Level, 2'-6" Face Mount (for 4'/6" Dishes) c/w Medium Backing Kits
5.927.0111.101	TF-ML4-8	8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies
5.927.0111.101	TF-ML3-8	8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies
5.927.0111.101	MDL-CS-8R	8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies
5.927.0112.101	TF-M3-14	8	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits
5.927.0131.101	TF-M2S-8	8	2 Level, 6'-10' Face Mount (for 4'/6" dishes) c/w Large Backing Assemblies and Two Point Stabilizer Arm
5.927.0131.102	TF-M3S2-8	8	2 Level, 6'-10' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits & 2 Stabilizer Arms
5.927.0131.102	TFL-ML4S2-8	8	2 Level, 6'-10' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits & 2 Stabilizer Arms
5.927.0132.101	TF-ML4S-14	8	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm
5.927.0132.102	TF-M3S2-14	8	2 Level, 10'-14' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and (2) Two Point Stabilizer Arms
5.927.0133.101	TF-M2S-14	8	2-Level, 14'-18' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm
5.927.0133.101	TF-M3S-14	8	2-Level, 14'-18' Face Mount (for 4'/6" Dishes) c/w Large Backing Kits and Two Point Stabilizer Arm
5.927.1003.101	RM-DM-6	14	(2) 10"-60" Universal Monopole Ring Assembly c/w 4-1/2" OD x 6' Pipe
5.927.1005.002	MC-SA18-B	5	2' Monopole Standoff Assembly c/w (2) 1/2" U-Bolt Kits (fits 2-3/8" pipe)
5.927.1005.002	MC-SA24-B	5	2' Monopole Standoff Assembly c/w (2) 1/2" U-Bolt Kits (fits 2-3/8" pipe)
5.927.1010.100	QT-SF10-B	11	V-Frame Standoff Sector Mount, 10' Face with strut support, antenna pipes not included.
5.927.1010.100	SF-SU10-B	11	V-Frame Standoff Sector Mount, 10' Face with strut support, antenna pipes not included.
5.927.1012.100	SF-QV12-B	11	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.
5.927.1012.100	SF-SU12-B	11	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.
5.927.1012.100	SF-U12-B	11	V-Frame Standoff Sector Mount, 12' Face with strut support, antenna pipes not included.
5.927.1012.372	QT-SF12-3-72	11	V-Frame Standoff Sector Mount, 12' Face with strut support and (3) 6' antenna pipes
5.927.1012.496	SF-SU12-4-96	11	V-Frame Standoff Sector Mount, 12' Face with strut support and (4) 8' antenna pipes
5.927.1131.101	TF-M4S-8	8	2-Level, 6'-10' Face Mount (for 4'/6" Dishes) c/2 Large Backing Kits and Two Point Stabilizer Arm
5.930.0051.013	SF-TP10-3-72	12	12' T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Large Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.930.0071.021	QT-SF12-B	12	12' Univ T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Univ. Backing Plates, and (1) Univ. Tie Back
5.930.0071.021	SF-SU7-B	12	12' Univ T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Univ. Backing Plates, and (1) Univ. Tie Back
5.930.0071.023	QT-SF12-3-96	12	12' Univ T-Frame (2-3/8" Bolted) c/w (1) 3' Standoff, (4) Univ. Backing Plates, (1) Univ. Tie Back & (3) 8' Pipes
5.930.0071.023	QT-SF10-3-72	12	12' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' pipes, and 12' Universal Tie Back
5.930.0071.024	QT-SF10-4-96	12	12' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back
5.930.0072.023	QT-SF10-3-96	12	12' Universal T-Frame (3-1/2" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back
5.930.0073.023	SF-U12-3-72	12	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (3) 2-3/8" x 8' Pipes, and 12' Universal Tie Back
5.930.0073.024	SF-SU14-4-126	12	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back
5.930.0073.024	QT-SF12-4-96	12	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back
5.930.0073.024	QT-SF12-4-72	12	15' Universal T-Frame (2-3/8" Rails) c/w 3' Vertical Standoff, Universal Backing Kits, (4) 2-3/8" x 8' pipes, and 12' Universal Tie Back
5.930.0074.021	SF-SU14-B	12	15' Universal T-Frame (3-1/2" Rails) c/w 3' Vertical Standoff, Universal Backing kits, and 12' Universal Tie Back
5.930.0104.007	PB-G3S-2	5	Medium 3' Vertical Standoff with Medium Backing Kits
5.930.0104.012	PB-G3S-4	5	Medium 3' Vertical Standoff with Large Backing Kits
5.930.0107.001	MT-397	5	Heavy 1' Tapered Standoff (Does not Include Mounting Hardware)
5.930.0110.001	PM-XT-36	5	Heavy 2' Vertical Standoff (Does not Include Mounting Hardware)
5.930.0110.001	PM-XT-24	5	Heavy 2' Vertical Standoff (Does not Include Mounting Hardware)
5.930.0126.022	PM-SC4-63	5	Heavy 1' Vertical Standoff (4-1/2" x 6' pipe) c/w (4) Universal Backing Kits
5.930.0202.007	S-200	5	2' Standoff c/w 2-3/8" OD x 36" Mounting Pipe, (2) Small Backing A Ass'y (up to 4 1/2" members)
5.930.0202.022	DM-100	5	Light 2' Vertical Standoff c/w Universal Backing Kits
5.930.0203.007	S-300	5	3' Standoff c/w 2-3/8" OD x 36" Mounting Pipe, (2) Small Backing A Ass'y (up to 4 1/2" members)
5.930.0204.001	HS-400	5	Light 4' Vertical Standoff (Does not Include Mounting Hardware)
5.930.0204.002	S-400	5	Light 4' Vertical Standoff with Small Backing Kits
5.930.0205.002	S-500	5	Light 5' Vertical Standoff with Small Backing Kits
5.930.0206.007	S-600	5	6' Standoff c/w 2-3/8" OD x 36" Mounting Pipe, (2) Medium Backing B Ass'y (up to 6" members)
5.930.1307.206	SF-SU7-2-72	12	7' T-Frame (2-3/8" Rails) c/w 2' Vertical Standoff, Universal Backing Kits, (2) 2-3/8" x 6' pipes, and 12' Universal Tie Back
5.930.7006.024	PM-SU4-63	22	(2) Medium 24" Adjustable Parallel Clamp Assembly Kits with 4.5" OD x 5' Pipe
5.933.0410.101	MD-SQ2	23	2' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)
5.933.0411.002	MD-IS4	23	4/6' Ice Shield Assembly c/w 12' Tie Back
5.933.0411.003	MD-SQ4	23	4/6' Ice Shield Assembly (Does not Include Tie Back)
5.933.0411.102	MD-S6	23	4/6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)
5.933.0411.102	MD-S4	23	4/6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)
5.933.0411.102	MD-S3	23	4/6' Ice Shield Assembly c/w 144" I/S Tie Back and Mount (up to 5-5/8" OD pipes and 6" 60° angles)
5.933.0412.101	MD-S8	23	8' Ice Shield Assembly c/w 12' Tie Back and 1' Vertical Standoff Mount
5.933.0413.101	MD-S10	23	10' Ice Shield Assembly c/w 12' Tie Back and 1' Vertical Standoff Mount
5.933.0414.001	MDS15	23	12' Ice Shield Assembly c/w 12' Tie Back
5.933.0414.001	MDS17	23	12' Ice Shield Assembly c/w 12' Tie Back
5.939.0005.004	HK-CL-U	15	Small Universal Clip Assembly
5.939.0018.004	CL-0420-U	15	Small 20' Cable Ladder, 5 Rungs (4-hole) and Splice Hardware
5.939.0030.002	SS-TB2550	15	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.939.0030.002	SS-1FB2550	15	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles
5.939.0030.002	CS-BL-R2	15	Small T-Style 16 Line Bracket, Fits up to 5-5/8" OD Pipe, 4" Angles, 5" (60°) Angles
5.939.0031.002	SS-TB6080	15	Medium 16 Line T-Style Bracket Kit (fits up to 11' OD Rounds or 8" Angle Members)
5.939.0040.002	SS-2FB2550	15	16 Line Boomerang Tx Bracket (fits up to 5-5/8" OD rounds, 4" 90° angles, 5" 60° angles)
5.939.0070.004	MT-F1542-11	16	4 Run Roof-Top Coax Bridge Kit
5.939.0070.004	RT-CB4D	16	4 Run Roof-Top Coax Bridge Kit
5.939.0070.008	MT-F1543	16	8-Run Roof-Top Coax Bridge Kit
5.939.0070.008	RT-CB8D	16	8-Run Roof-Top Coax Bridge Kit
5.939.0075.004	MT-F1589	16	4-Run Wall Coax Support Kit
5.939.0102.001	WB-K110-B	19	12" SWGB c/w (1) 12" x 10' Solid Cover, (3) 2 Rung 12" Trapezes, and (2) 3½"x14' Direct Burial Posts
5.939.0108.001	WB-K110-S	18	12" SWGB c/w (1) 12" x 10' Solid Grating, (3) 2 Rung 12" Trapezes, and (2) 4½"x10' Base Shoe Posts
5.939.0120.001	WB-K210-B	18	24" SWGB c/w (1) 24" x 10' Grated Cover, (3) 1 Rung 24" Z-Trapeze, and (2) 3½"x14' Direct Burial Posts
5.939.0120.001	WB-K210-B15	18	24" SWGB c/w (1) 24" x 10' Grated Cover, (3) 1 Rung 24" Z-Trapeze, and (2) 3½"x14' Direct Burial Posts
5.939.0180.001	MF-130	19	3½" x 14' Direct Burial Post Ass'y
5.939.0180.001	MF-273	19	3½" x 14' Direct Burial Post Ass'y
5.939.0181.011	MF-126	19	3½" x 10½' Base Shoe Post & Cap
5.939.0181.011	MF-126	19	3½" x 10½' Base Shoe Post & Cap
5.939.0181.011	MF-280	19	3½" x 10½' Base Shoe Post & Cap
5.939.0184.118	WB-LB12-3	16	18" Single Waveguide Bridge Brace Kit (3-1/2")
5.939.0184.124	WB-LB24-3	16	24" Single Waveguide Bridge Brace Kit (fits 3-1/2" pipe)
5.939.0186.012	WB-T12-3	18	12" Trapeze Assembly
5.939.0186.024	WB-T24-3	18	24" Trapeze Assembly
5.939.0186.024	WB-TT24	18	24" Trapeze Assembly
5.939.0188.112	MT-357-12	18	12" Z-Trapeze (7-Line) Kit
5.939.0188.112	WB-TS12	18	12" Z-Trapeze (7-Line) Kit
5.939.0188.112	ZB-H4	18	12" Z-Trapeze (7-Line) Kit
5.939.0188.112	WB-TS24	18	12" Z-Trapeze (7-Line) Kit
5.939.0188.124	MT-357-24	18	24" Z-Trapeze (14-Line) Kit
5.939.0188.212	WB-TD24	18	Double 12" Z-Trapeze (14-line) Kit
5.939.0188.212	WB-TK12D	18	Double 12" Z-Trapeze (14-line) Kit
5.939.0188.218	ZB-H12	18	Double 18" Z-Trapeze (22-Line) Kit
5.939.0188.224	WB-TK24D	18	Double 24" Z-Trapeze (28-line) Kit
5.939.0189.001	WS-K400	8	Universal Splice Assembly
5.939.0189.001	WB-SP	8	Universal Splice Assembly
5.939.0192.045	MT-F1573-11	8	45 Degree Adjustable Splice Assembly
5.939.0192.045	MT-F1574	8	45 Degree Adjustable Splice Assembly
5.939.0192.045	MT-F504	8	45 Degree Adjustable Splice Assembly
5.939.1011.001	CL-1210-U	15	Small 10' Cable Ladder, 3 Rungs (12-hole), Splice Hardware and Large Attachment Hardware
5.939.1012.001	CL-1220-U	15	Small 20' Cable Ladder, 5 Rungs (12-hole), Splice Hardware and Large Attachment Hardware
5.939.1017.007	CL-0610-U	15	Small 10' Cable Ladder, 3 Rungs (7-hole), Splice Hardware and Large Attachment Hardware
5.939.1018.007	CL-0620-U	15	Small 20' Cable Ladder, 5 Rungs (7-hole), Splice Hardware and Large Attachment Hardware
5.939.1018.009	CL-0920-U	15	Small 20' Cable Ladder, 5 Rungs (9-hole), Splice Hardware and Large Attachment Hardware
5.939.1178.012	WC-SC4D	16	12" x 96" Cable Tray
5.939.1178.018	WC-SC8D	16	18" x 96" Cable Tray
5.951.0006.001	RF-TDK	11	Roof Mount - Universal 84" Tie-Back Assembly



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.951.0010.001	HWK58	16	Small Bracket Assembly
5.951.0010.002	MT-223	16	Large Bracket Assembly
5.951.0010.003	MT-280	16	Wedge Anchor Assembly
5.951.0010.003	SWK58	16	Wedge Anchor Assembly
5.951.0017.160	RM-SM238-60	20	LD Ballast Mount with 1.900" x 60" Pipe Mount
5.951.0017.160	RM-SM190-60	20	LD Ballast Mount with 1.900" x 60" Pipe Mount
5.951.0029.005	TP-G238-72	20	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 5' Pipe
5.951.0029.005	TP-G238-96	20	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 5' Pipe
5.951.0029.015	WT-TMA-96	20	Small Ballast Mount (60" x 60" Base) with 2-3/8" OD x 15' Pipe
5.951.0030.010	TP-G312-126	20	Heavy Duty Roof Mount with 3-1/2" OD x 10' Pipe Mount
5.951.0040.010	TP-G412-B	20	Heavy Duty Roof Mount with 4-1/2" OD x 10' Pipe Mount
5.951.0040.010	TP-G412-126	20	Heavy Duty Roof Mount with 4-1/2" OD x 10' Pipe Mount
5.951.0107.001	RF-N7-B	19	7' Wide Roof Ballast Frame
5.951.0107.208	RF-N7-2-96	19	7' Wide Roof Ballast Frame c/w (2) 2-3/8" x 8' Pipe
5.951.0112.001	RF-N10-B	19	12' Wide Roof Ballast Frame
5.951.0112.001	RF-N12-B	19	12' Wide Roof Ballast Frame
5.951.0112.308	RF-N12-3-96	19	12' Wide Roof Ballast Frame c/w (3) 2-3/8" x 8' Pipe
5.951.0112.310	RF-N10-3-126	19	12' Wide Roof Ballast Frame c/w (3) 2-3/8" x 10' Pipe
5.951.0115.001	RF-N14-B	19	15' Wide Roof Ballast Frame
5.951.0115.308	RF-N14-3-96	19	15' Wide Roof Ballast Frame with (3) 2-3/8" x 8' Pipes
5.951.0115.408	RF-N12-4-96	19	15' Wide Roof Ballast Frame with (4) 2-3/8" x 8' Pipes
5.960.0002.001	XP-2020	7	2-3/8" to 2-3/8" Fixed Crossover Ass'y
5.960.0002.001	XA-2020	7	2-3/8" to 2-3/8" Fixed Crossover Ass'y
5.960.0003.001	XP-3030	7	3-1/2" to 3-1/2" Fixed Crossover Ass'y
5.960.0003.002	MT-219M-H	7	Fixed Crossover Assembly (2-7/8" OD to 3-1/2" OD Pipes)
5.960.0003.002	XP-2530	7	Fixed Crossover Assembly (2-7/8" OD to 3-1/2" OD Pipes)
5.960.0003.003	XP-2030	7	2-3/8" to 3-1/2" Fixed Crossover Ass'y
5.960.0003.003	MT-219-H	7	2-3/8" to 3-1/2" Fixed Crossover Ass'y
5.960.0003.005	XP-2025	7	2-3/8" to 2-7/8" Fixed Crossover Ass'y
5.960.0004.001	XP-4040	7	Fixed Crossover Assembly (fits 4-1/2" OD to 4-1/2" OD Pipes)
5.960.0004.002	XP-3040	7	Fixed Crossover Assembly (3-1/2" OD to 4-1/2" OD Pipe)
5.960.0004.004	XP-2040	7	Fixed Crossover Assembly (2-3/8" OD to 4-1/2" OD Pipes)
5.960.0004.004	XP-197-S	7	Fixed Crossover Assembly (2-3/8" OD to 4-1/2" OD Pipes)
5.960.0005.002	CC-100	6	Universal Crossover Assembly (fits two members up to 4-1/2" OD)
5.960.0005.002	XA-U	6	Universal Crossover Assembly (fits two members up to 4-1/2" OD)
5.960.0005.002	CC-100-6	6	Universal Crossover Assembly (fits two members up to 4-1/2" OD)
5.960.0005.003	CC-215	6	Universal Crossover Assembly (fits two members up to 5-5/8" OD)
5.960.0005.003	CC-215-6	6	Universal Crossover Assembly (fits two members up to 5-5/8" OD)
5.960.0006.102	MDL-SS-6R	7	Standard Hybrid Crossover Assembly - fits 3-1/2" OD Pipe up to 11" OD Member
5.960.0007.001	CO-100	9	4" Angle to 4" Angle Adjustable Ass'y
5.960.0007.001	CO-78	9	4" Angle to 4" Angle Adjustable Ass'y
5.960.0008.004	MTC3055PM2	7	Large Hybrid Crossover Assembly (fits 2-3/8" OD pipe up to 11" OD member)
5.960.0010.001	GP-S24	9	Adjustable Parallel Clamp Assembly
5.960.0010.001	BC-20-10D	9	Adjustable Parallel Clamp Assembly
5.960.0010.001	BB-S20-14	9	Adjustable Parallel Clamp Assembly



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.960.0010.002	BC-35-14	9	Adjustable Parallel Clamp Assembly
5.960.0010.002	BC-30-10	9	Adjustable Parallel Clamp Assembly
5.960.0010.002	BC-20-10	9	Adjustable Parallel Clamp Assembly
5.960.0010.002	AB-S50	9	Adjustable Parallel Clamp Assembly
5.960.0010.002	BB-S10-10	9	Adjustable Parallel Clamp Assembly
5.960.0010.124	JS-S100-SSH	9	Large 24" Adjustable Parallel Clamp Assembly
5.960.0011.301	MT-250	22	Small Wall Mount Assembly (Does not Include Pipe)
5.960.0011.301	MT-250L	22	Small Wall Mount Assembly (Does not Include Pipe)
5.960.0022.106	MT-219-72	7	2-3/8" x 6' Pipe with (1) 3-1/2" Cross-Pipe Kit
5.960.0022.108	MT-220	7	2-3/8" x 8' Pipe with (1) 3-1/2" Cross-Pipe Kit
5.960.0022.110	MT-220-120	7	2-3/8" x 10' Pipe with (1) 3-1/2" Crossover Kit
5.960.0033.106	MT-216-6NS	7	3-1/2" x 6' Pipe with (1) 4-1/2" Crossover Kit
5.960.0033.112	MT-216-NS	7	3-1/2" x 12' Pipe with (1) 4-1/2" Crossover Kit
5.960.1000.231	PM-SU35-48	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies c/w 3-1/2" OD x 4' Pipe
5.960.1006.231	PM-SU2-72	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies c/w 2-3/8" OD x 6' Pipe
5.960.1007.001	MT-395	9	Pipe Mount Includes (2) 4" Angle to 4" Angle Adjustable Asssembly Kits with 4.5" OD x 5' Pipe
5.960.1010.124	860117A-LP	9	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)
5.960.1010.124	MS-100-SSH	9	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)
5.960.1010.124	MS-100	9	(2) Large 24" Adjustable Parallel Clamp Assembly kits (Use with 4-1/2" OD Pipe, Not Included)
5.960.1010.231	PM-SU2-B	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies
5.960.1010.231	PM-SC2-B	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies
5.960.1010.231	PM-SU4-B	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies
5.960.1010.231	AD-P90-SCP	9	(2) Extra Large 31" Adjustable Parallel Clamp Assemblies
5.960.1012.203	WMA312	22	(2) Medium Clip Mount Kit (fits 3-1/2" OD Pipe)
5.960.1014.201	PM-SL2	22	(2) Large Adjustable Clip Mount Kits (fits 2-3/8" Pipe)
5.960.1014.204	PM-SL4	22	(2) Large Adjustable Clip Mount Kits (fits 4-1/2" Pipe)
5.960.1014.300	MT-221	22	Hollow Wall Mount Assembly (Pipe not Included)
5.960.1056.238	SA-B	11	Tie Back Bracket Assembly c/w Fixed Crossover Assembly (Pipe not Included)
5.960.1056.350	SA-BU	11	Tie Back Bracket Assembly c/w Universal Crossover Assembly (Pipe not Included)
5.960.1066.002	MT-648	24	2-3/8" OD x 2' Pipe
5.960.1066.003	MT-649	24	2-3/8" OD x 3' Pipe
5.960.1066.004	MT-650	24	2-3/8" OD x 4' Pipe
5.960.1066.005	MT-650-63	24	2-3/8" OD x 5' Pipe
5.960.1066.006	MT-651	24	2.375" OD x 6' Pipe
5.960.1066.008	MT-651-96	24	2.375" OD x 8' Pipe
5.960.1066.009	MT-651-108	24	2-3/8" OD x 9' Pipe
5.960.1066.010	MT-651-114	24	2.375" OD x 10' Pipe
5.960.1066.011	MT-537	24	2.375" OD x 11' Pipe
5.960.1066.012	MT-651-150	24	2.375" OD x 12' Pipe
5.960.1066.014	MT-537-170	24	2-3/8" OD x 14' Pipe
5.960.1066.016	MT-537-186	24	2-3/8" OD x 16' Pipe
5.960.1066.020	MT-542	24	2-3/8" OD x 20' Pipe
5.960.1066.021	MT-538	24	2-3/8" OD x 21' Pipe
5.960.1067.007	MT54684	24	2-7/8" OD x 7' Pipe
5.960.1067.008	MT54696	24	2.875" OD x 8' Pipe



Cross Reference Page

Trylon Part #	Cross Reference	Page #	Description
5.960.1067.010	MT-546-120	24	2.875" OD x 10' Pipe
5.960.1067.011	MT-546-126	24	2-7/8" OD x 11' Pipe
5.960.1067.012	MT-546-150	24	2.875" OD x 12' Pipe
5.960.1068.007	MT54784	24	3-1/2" OD x 7' Pipe
5.960.1068.008	MT-547-96	24	3-1/2" OD x 8' Pipe
5.960.1068.009	MT-547-108	24	3-1/2" OD x 9' Pipe
5.960.1068.011	MT-547-126	24	3-1/2" OD x 11' Pipe
5.960.1068.013	MT-21601	24	3-1/2" OD x 13' Pipe
5.960.1068.015	MT-547-174	24	3-1/2" OD x 15' Pipe
5.960.1068.021	MT-547	24	3-1/2" OD x 21' Pipe
5.960.1070.003	MT-652	24	4-1/2" OD x 3' Pipe
5.960.1070.004	MT-653	24	4-1/2" OD x 4' Pipe
5.960.1070.005	MT-653-63	24	4.500" OD x 5' Pipe
5.960.1070.006	MT-654	24	4-1/2" OD x 6' Pipe
5.960.1070.008	MT-654-96	24	4.500" OD x 8' Pipe
5.960.1070.011	MT-539	24	4-1/2" OD x 11' Pipe
5.960.1070.013	MT-654-150	24	4-1/2" OD x 13' Pipe
5.960.1166.008	MT-541-96	24	2-3/8" OD x 8' Aluminum Pipe
5.960.1166.010	MT-541	24	2-3/8" OD x 10' Aluminum Pipe
5.960.4014.204	PM-5L4-63	22	(2) Large Adjustable Clip Mount Kits c/w 4-1/2" x 5' pipe
5.963.0008.306	MD-CS-6R	12	Stabilizer Bracket Leg Kit c/w Stabilizer Clip and 6' Pipe
5.963.0008.310	MD-CS-10R	12	Stabilizer Bracket Leg Kit c/w Stabilizer Clip and 10' Pipe
5.963.1001.009	GUB-53560	25	5/8" U-Bolt Kit (fits 3" OD Rounds)
5.963.1001.086	JB-8K	25	(10) 3/8" x 7" J-Bolt Kit (2-1/2" Thread)
5.963.1001.206	GUB-4355	25	(10) 1/2" U-Bolts (fit 3-1/2" OD Rounds)
5.963.1001.206	GUB-4356	25	(10) 1/2" U-Bolts (fit 3-1/2" OD Rounds)
5.963.1001.207	GUB-5456	25	(10) 1/2" U-Bolts (fit 4-1/2" OD Rounds)
5.963.1001.207	GUB-4456	25	(10) 1/2" U-Bolts (fit 4-1/2" OD Rounds)
5.963.1002.002	SM-U2080	10	(2) Large Backing 'B' Assembly kits (fits up to 11 1/2" OD Pipe, 8" Angles)



Trylon Also Offers



The SuperTitan KD is a modular tower that can be built up to 57.9 meters high. Consisting of 21 standard sections, each 3.0 meters high, this modular system can be configured to create towers of varying heights and loading capacities.

SuperTitan KD Specifications

- Brand New Packaging Process
 - Minimize freight costs (weight & dimensions)
 - Minimizes storage space
 - Improved economic footprint
- All members are hot-dip galvanized throughout
- Designed to conform with CE standard
- Maximum height: 57.9 meters
- Section height: 3.0 meters



Designed using the same basic modular configuration as the SuperTitanKD model, the SuperTitan MAX features a wide range of heights and options for increasing strength and capacity. The SuperTitan MAX is shipped in 5.8 meters sections which can be assembled to a maximum height of 76.5 meters, making it Trylon's tallest self-supporting stocked tower.

SuperTitan MAX Specifications

- Tallest stock product tower offered
- Ships from Trylon
- Designed to conform with CE Standards
- Maximum height: 76.5 meters
- Section height: 5.8 meters



WE'RE BUILDING THE GLOBAL
COMMUNICATIONS
INFRASTRUCTURE



TRYLON

21 South Field Drive, Elmira, ON N3B 0A6
1-519-669-5421 (phone) 1-519-669-8912 (fax)
www.trylon.com info@trylon.com