





S3307BPNF

3.3-3.8 GHz

Assembly and Installation Instructions

SPECIFICATIONS

Antenna Model	S3307BPNF
Operating Frequency (GHz)	3.3-3.8
Peak Gain (dBi)	9.0
Vertical Plane 3 dB Beamwidth	8°
Azimuth Plane 3 dB Beamwidth	Omni
Weight - kg (lb.)	0.52 (1.15)
Height - cm (in.)	71.63 (28.2)
Polarization	Linear Vertical
VSWR - Max	2.0:1
Max Power - Ambient 25°C (W)	10
Enclosure	Polycarbonate
RF Connector	N(f)



SAFETY

This antenna is designed to mount to an outdoor pole or mast. To prevent personal injury or equipment damage, the antenna must be securely mounted per the instructions.

LOCATION

The location of the antenna is important. Best performance is achieved when transmit and receive antennas are mounted at the same height and in a direct line of sight with no obstructions. If this is not possible and reception is poor, try different mounting positions to optimize reception.

APPLICATION

The antenna has a female N-connector which provides great flexibility during installation. Weatherproof the connectors and attach the feedline to the mast with cable ties or tape.

CONNECTOR ATTACHMENT

The M8 metric U-bolts mounting bracket accomodates a 3.2-5.4 centimeter (1.25"-2.125") mast. Make sure that the mast does not extend above the metal base on the omni. If multiple antennas are mounted on the same mast, it is important to place this antenna at least 30 centimeters (12 inches) from the others to keep interaction to a minimum.

TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

05/25 Original