



## S3307BPNF

### CBRS Broadband Wireless Antenna 3.3-3.8 GHz

S3307BPNF provides omnidirectional pattern coverage over the entire 3.3-3.8 GHz frequency making this an excellent CBRS wireless network solution. At only 28.2 inches long by 1.75 inches in diameter and weighing in at 1.15 pounds, the antenna can be conveniently mounted to any available mounting platform without causing concern about excessive wind loading or axial torque. The antenna comes complete with mast mounting hardware and is enclosed in a UV-stable radome that will provide years of use without degradation to either its mechanical properties or aesthetics.



The antenna comes with a heavy-duty, fixed N female connector at the base allowing for the most convenient site integration and weather sealing options. The S3307BPNF is a perfect choice for broadband wireless access providers initially installing omnidirectional sites as they begin the process of building out their systems. As well as CBRS applications, the antenna's wide bandwidth characteristics allows the antenna to be inventoried for eventual use by any carrier using any portion of the 3.3-3.8 GHz frequency band.

### FEATURES AND BENEFITS

- 9.0 dBi gain
- 3.3-3.8 GHz full band coverage
- CBRS coverage
- Weatherproof UV stable radome
- Mast mounting hardware included
- Slim diminutive profile 28.2 in x 1.75 in

### APPLICATIONS

- Broadband wireless access service provider
- Campus, healthcare, or transportation terminals
- Stadium, industrial plants, and processing stations
- Low to medium density, tower mounted rural locations
- CBRS Wireless Networks



## ELECTRICAL SPECIFICATION

Model Name	S3307BPNF
Operating Frequency (GHz)	3.3 - 3.8
VSWR - Max	2.0:1
Peak Gain (dBi)	9.0
Max Power - Ambient 25°C (W)	10
Polarization	Linear vertical
Vertical Plane 3 dB Beamwidth	8°
Horizontal Plane 3 dB Beamwidth	Omnidirectional

## MECHANICAL SPECIFICATION

Dimensions - cm (inches)	71.63 x 4.32 (28.2 x 1.7)
Weight - kg (lbs.)	(1.15)
Radome Material	UV polycarbonate
Mount Style	Mast mount
Mounting Hardware	Included
Lightning Protection	DC-grounded

## ENVIRONMENTAL SPECIFICATION

Ingress Protection Rating	IP66
Material Substance Compliance	RoHS

## CONFIGURATION

### PART NUMBER

### CONNECTOR

S3307BPNF	Type N female
-----------	---------------

## TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

## te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

05/25 Original