


PLAN VIEW



ELEVATION VIEW


REINFORCING STEEL SCHEDULE								
ITEM	LOCATION	NO. REQ'D.	BAR SPC'G.	SIZE	CUT LGTH.	TOTAL LGTH.	TOTAL WT.	SHAPE
①	PAD TOP REINFORCING	44	EQUALLY SPACED	#5	17'-6"	770'-0"	803 LBS.	STRAIGHT
②	PAD BOTTOM REINFORCING	44	EQUALLY SPACED	#5	17'-6"	770'-0"	803 LBS.	STRAIGHT
③	PIER VERTICAL REINFORCING	30	EQUALLY SPACED	#6	4'-9"	142'-6"	214 LBS.	
④	PIER TIES	15	SPACED 12" C/C	#4	7'-6"	112'-6"	75 LBS.	
TOTAL REBAR WT.							1895 LBS.	

ANCHOR BOLT SCHEDULE				
ITEM	PART NO.	NO. REQ'D.	ANCHOR BOLT SIZE	SPACING
⑤	C40041057	12	3/4 Ø X 3'-3"	SEE PLAN

FIELD NOTE

SEE DRAWING LDA00319 FOR LEG TO LEG TEMPLATES.


CONCRETE REQ'D	ROUND PIERS	SQUARE PIERS
PAD	18.00 CU. YDS.	18.00 CU. YDS.
PIERS	1.64 CU. YDS.	2.08 CU. YDS.
TOTAL	19.64 CU. YDS.	20.08 CU. YDS.



REBAR DETAIL
(PIER VERTICAL REBAR)

GENERAL NOTES

1. CONCRETE SHALL HAVE A MINIMUM 28-DAY COMPRESSIVE STRENGTH OF 3000 PSI, IN ACCORDANCE WITH ACI 318-05. (2 REBAR TIES REQ'D IN THE TOP 5")
2. REBAR TO CONFORM TO ASTM SPECIFICATION A615 GRADE 60.
3. ALL REBAR TO HAVE A MINIMUM OF 3" CONCRETE COVER.
4. ALL EXPOSED CONCRETE CORNERS TO BE CHAMFERED 3/4".
5. SEE THE GEOTECHNICAL REPORT FOR COMPACTION REQUIREMENTS, IF SPECIFIED.
6. THE FOUNDATION DESIGN IS BASED ON AN ALLOWABLE BEARING PRESSURE OF AT LEAST 2 KSF. THE ADEQUACY OF THE SOIL MUST BE VERIFIED BEFORE INSTALLING THE FOUNDATION.
7. ONE ANCHOR BOLT MUST BE ALIGNED DIRECTLY WITH THE CENTER OF THE TOWER (TYPICAL).

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS INCLUDE FINISHES AND ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16" ANGLES ± 1/2 DEG. DECIMALS ± .010"					MATERIAL: TOLERANCES DO NOT APPLY TO RAW MATERIAL										MODEL S3A SERIES LDA FOUNDATION INSTALLATION SECTION 19																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
										<p>CONFIDENTIAL</p> <p>This document and the information contained herein is the confidential trade secret property of Sabre Communications Corporation ("Sabre") and must not be reproduced, copied or used, in whole or in part, for any purpose without the prior written consent of Sabre.</p> <p>© 2010 Sabre Communications Corporation. All rights reserved.</p>								SIZE		DRAWING NO.				REV																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
															DATE		02/01/10		B		LDA00419				0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
															DRAWN BY		WRF						SCALE		PAGE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
															CHECKED BY		KLE						NONE		1 OF 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
REV	DATE	DRW	CHK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													