



RJ45-FT

RJ45 Feed Thru

IP67 RATED OUTDOOR RJ45 FEED THRU

TE's RJ45-FT feedthru allows for quick installation of ethernet cables on outdoor equipment or indoor equipment. The feedthru allows for pass thru of the RJ45 connector and sealing of the cable for a weatherproof installation.

FEATURES

- Pass-thru of RJ45 shielded or unshielded connectors
- Clamps securely to 5 mm min. diameter cables
- Constructed of UV protected materials for long life in harsh outdoor environments.
- Seal meets IP67 criteria.
- Shock and vibration resistant.
- UL and CE rated

MARKETS

- Wireless base stations
- Wireless client radios
- Direct burial equipment
- Industrial process control
- Telecom equipment
- 802.11 a/b/g wireless Systems
- 10BaseT, 100BaseT or 1000BaseT networks
- Factory automation
- WiMAX

SPECIFICATIONS

Material	UV Resistant Nylon 66 and EPDM rubber
Sealing	IP67
Salt Spray	>1000 h
Flammability	UL94VO
Thermal Shock	10 cycles -40 to +100°C
Temperature Range	-40°C to +85°C
Installation Hole Dia	0.787 in (20 mm)
Overall Size (L x Dia)	1.75 x 1 in (44 x 25 mm)
Weight	.5 oz (14 gm)

SYSTEM ORDERING INFORMATION

RJ45-FT

RJ45 waterproof outdoor cable feedthru - 10 pack



TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

05/25 Original