

Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B

1000-1117 CPX GbE/PoE Module



Features

- EN/IEC 60950-1, Class I/Div II, ATEX
- UL 497B
- Purpose Designed Modules for all Common Data Protocols

Applications

- Gigabit Ethernet/PoE++ Networks
- Telecommunications Base Stations
- WISP/ISP
- IT & Data Centers

- RJ-45 Connectivity
- Mount into CPX Chassis 16-Port 1101-972 or 4-Port 1101-1137
- · Point-to-Point Links
- · Control Lines and Sense Loops
- Oil & Gas

Description

Data surge protector (also known as SPD or lightning protector) 1000-1117 from Transtector is an indoor style SPD that utilizes state of the art SASD/MOV/GDT technology to protect critical equipment in Gigabit Ethernet/PoE++ protocol data networks while remaining transparent to data throughput. This surge protector provides effective protection against electrical transient surges that are generated both by external lightning events and by internal switching events and supports long-term system reliability by absorbing high amounts of transient energy while maintaining a very low clamping voltage. Transfector Data Signal surge protectors are available in stock with same day shipping.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units	
Connectors		Shielded RJ45			
Compatible Cables	Cat5/5e UTP/STP, Cat6/6A STP				
Data Protocols	Gigabit Ethernet/PoE++				
Data Rate			1,000	Mb/s	
Characteristic Impedance			100	Ohms	
Power over Ethernet Protocols		PoE++			
Vdc Rating (Data)		60	70	Vdc	
PoE Power			56	W	
PoE Current Per Pin			1.2	Α	

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B 1000-1117



Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B

1000-1117 CPX GbE/PoE Module



Surge Protection Specification

		Units
SASD, MOV, GDT		
[1,2], [3,6], [4,5], [7,8]		
L-G		
	100	Α
	10	kA
160 @ 100A		Vpk
	5	ns
	L-G	L-G 100 10 160 @ 100A

Mechanical Specifications

Size

Height	0.99 in	[25.15 mm]
Width	1.63 in	[41.4 mm]
Depth	2.48 in	[62.99 mm]
Weight	1 lbs	[453.59 g]

Environmental Specifications

Operating Temperature -40 to +65 deg C Storage Temperature -40 to +65 deg C

Mount Type Protection Module Bay
Installation Hardware 4-20 x 3/8" Plastite Screws

Compliance Certifications

CE Compliant Yes
UL Compliant Yes
Hazardous Locations Yes

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B 1000-1117



Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B

1000-1117 CPX GbE/PoE Module



Certifications

UL 497B
ETL 60950-1
Haz Loc Class 1 Division 2 Groups A,B,C,D T6
Class 1 Zone 2 AEx ec nC IIC T6 Gc
Ex ec nC IIC T6 Gc
II 3 G Ex ec nC IIC T6 Gc
ITS14ATEX48147X
ETL14CA101699377X
NOM

Transtector Systems specializes in protection of highly sensitive, low voltage equipment through its patented, non-degrading silicon diode technology and custom filters. Our power quality expertise translates into a diverse product offering including AC, DC, and signal applications as well as integrated cabinets, power distribution panels and EMP hardened devices.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: Data Surge Protector SPD CPX Indoor Gigabit Ethernet/PoE++ Shielded RJ45 SASD, MOV, GDT CE Compliant, UL 497B 1000-1117

URL: https://www.transtector.com/data-surge-protector-spd-cpx-indoor-gigabit-1000-1117-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Transfector reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Transfector does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Transfector does not assume any liability arising out of the use of any part or documentation.

1000-1117 CAD Drawing

