



## OC24005

### Vertically Polarized Omni Antenna 2400-2500 MHz

The OC24005 is a 2400-2500 MHz omnidirectional, collinear, vertically polarized array especially designed to complement interior or exterior-mounted wireless network systems. An integrated RF connector is embedded in the antenna base cap for direct AP mounting. Special venting permits either upright or inverted orientation in outdoor locations. The antenna may also be pole-mounted when separation from the AP is required for optimum positioning.

#### FEATURES AND BENEFITS

- Vertically polarized omnidirectional
- Indoor and outdoor usage
- Rugged, lightweight, and water resistant
- Direct to radio mounting

#### APPLICATIONS

- Offices, hotels, college campuses
- Airports and hospitals
- Museums, libraries, retail malls
- Transportation centers
- Wi-Fi hot spots
- Cellular off-loading

#### ELECTRICAL SPECIFICATIONS

Model Name	OC24005
Operating Frequency (MHz)	2400-2500
VSWR - Max	1.7:1
Gain (dBi)	5
Nominal Impedance (Ohms)	50
Max Power - Ambient 25°C (W)	50
Polarization	Linear, vertical
Vertical Plane 3 dB Beamwidth	30°
Horizontal Plane 3 dB Beamwidth	Omnidirectional

## MECHANICAL SPECIFICATIONS

Dimensions - mm (inches)	297 x 32 (11.7 x 1.26)
Weight - kg (lbs.)	0.14 (0.31)
Radome Material	Polycarbonate, UV white
Connector	Model-specific
Mounting	Connector fixed or mast mount kit (upright/inverted orientations)

## ENVIRONMENTAL SPECIFICATIONS


Operating Temperature - °C (°F)	-30 to +70°C (-22 to +158°F)
Storage Temperature - °C (°F)	-40 to +85°C (-40 to +185°F)
Ingress Protection Rating	IP54
Material Substance Compliance	RoHS

## CONFIGURATION


PART NUMBER*	CONNECTOR
OC24005-FNF	Type N female
OC24005-FNM	Type N male

\*Each part number includes mounting hardware and installation instructions

## RADIATION PATTERNS




H Plane 2.45 GHz



E Plane 2.45 GHz

## MECHANICAL DRAWINGS



### TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

### te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

06/25 Original