



## GPSU15M/GPSU15P

### Omnidirectional GPS Antennas

The TE Connectivity GNS1559MPF or Mini GNSS is a rugged, high performance, and cost-effective solution for most GNSS or asset tracking applications. The small form factor makes it easy to install on or in vehicles or buildings where global navigation is required. It is designed to withstand impact as well as water and dust intrusion (IP67 rated). The antenna can be configured with different cable types, in varying lengths and with various connector types. TE Connectivity has a full line of high performance, cost effective GPS/GNSS antennas for any telematics or GPS/GNSS application.

### FEATURES AND BENEFITS

- Gold-plated push pin contact
- Optimized microstrip-to-NMO design
- Monitor location

### APPLICATIONS

- Multiple applications - Heavy equipment to luxury automobiles

ENVIRONMENTAL SPECIFICATIONS	
Model Name	GPSU15M/GPSU15P
Operating Frequency (MHz)	1575.42
Bandwidth (MHz)	28
VSWR - Avg	<2.0:1
LNA Gain (dB) - Typical	27 @ 250 mA
Nominal Impedance (Ohms)	50
Polarization	Right-hand circular (RHCP)
Azimuth Coverage	Omnidirectional
Elevation Coverage	0° to 90°
Beamwidth	130°
Operating Voltage	3 to 5 Vdc

MECHANICAL SPECIFICATIONS	
Operating Temperature	-40° to +85°C (-40° to +185°F)
Height - cm (in.)	3.81 (1.5)
Contact	Gold-plated push pin
Finish	Black or White ABS plastic
Water Resistance	Nominal rain and splash degree
Mounting Base	GPSU15M - NMO style ¾ mount GPSU15P - N-female bulkhead

## CONFIGURATION

PART NUMBER	COLOR	CONNECTOR
GPSU15M	Black	NMO
GPSUW15M	White	NMO
GPSU15P	Black	N-female bulkhead
GPSUW15P	White	N-female bulkhead

### TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

### te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

05/25 Original