


RF-N10-4-96



Non-Penetrating Roof Frame, 10 ft face, four 2-3/8 in OD x 96 in pipes

Product Classification

Product Type Non-penetrating roof frame

General Specifications


Mounting Non-penetrating
Note Four 120 in x 8 in panel antennas per sector
Pipe, quantity 4

Dimensions

Height 2,438.4 mm | 96 in
Face Width 3.2 m | 10.5 ft
Width 3,200.4 mm | 126 in
Length 2.53 m | 8.3 ft
Pipe Length 2,438.4 mm | 96 in
Pipe Outer Diameter 60.96 mm | 2.4 in

RF-N10-4-96

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 85 mph (BWS) at 100 ft AGL using Exposure C per UBC

Wind Rating Test Method TIA/EIA-222

Packaging and Weights

Included Rubber mats, with or without pipe mounts

Packaging quantity 1

Weight, net 213.9 kg | 471.568 lb

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

RF-N10-4-96



Included Products

- MT-651-96 – Plain End Pipe, 2-3/8 in OD x 96 in
- RF-N10-B – Non-Penetrating Roof Frame, 10 ft face, pipe not included

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code