

C-Type Modules



Features

- Low insertion loss performance
- LC, SC, MTP versions with UPC or APC
- Standard internal dust shutters on LC ports
- Removable front plate for connector access
- Includes adapters, pigtails, and appropriate splice protection sleeves
- Silkscreen numbering
- C-Type footprint, large splicing area

Technical Data

| Description | Data / Value |
|----------------------|--|
| Housing Material | PC- ABS, transparent cover |
| Connector Type Front | LC Duplex (6 or 12 ports) / SC Duplex (6 ports) / MTP (6 ports) |
| Pigtail Type | Single Fiber 900µm, 250µm Flat Ribbon, 1 Meter |
| Insertion Loss | Maximum 0.2dB |
| Fibers | 12 or 24 (LC) / 12 (SC) / 48 or 72 (MTP) |
| Polish | UPC / APC |
| Footprint | Widely used C-Type footprint, matches any R&M C-Type Panel, and Wall-Mount box |
| Dimensions | 7" deep (with adapters), 6.1" wide, 1.375 "high (C-Type footprint) |
| Fiber Type | SM G657.A, OM4 |

Environmental Conditions

| Description | Data / Value |
|-----------------------|--------------------------------------|
| Operating Temperature | -40 °C to +85 °C / -40 °F to +185 °F |

Included Accessories



Includes



- Zip ties
- Splice sleeves
- Splice sleeve chips
- Velcro
- Splice chip holder rubber band
- Double sided foam tape
- Cable entry grommet

C-Type Modules





Splice Cartridges Single Fiber

C-Type Splice Cartridge, Single Strands, LC Duplex Adapters, Internal Dust Shutters, 900µm Semi Tight Buffer Pigtails (TIA color jacket), Splice Kit, Silkscreened Numbers, Nylatches installed



| LC-Duplex | 12 Fiber Horizontal | 24 Fiber Vertical |
|-----------------------|---------------------|-------------------|
| Single Mode UPC Blue | 922763 | 922648 |
| Single Mode APC Green | 922764 | 922649 |
| Multi Mode OM4 Aqua | 922765 | 922650 |

C-Type Splice Cartridge, Single Strands, LC Duplex Adapters, 900µm Semi Tight Buffer Pigtails (TIA color jacket), Splice Kit, Silkscreened Numbers, Nylatches installed





| SC-Simplex / SC Duplex | 6 Fiber Horizontal Simplex | 12 Fiber Horizontal Duplex | 12 Fiber Vertical Simplex | 12 Fiber Horizontal Simplex Offset | 24 Fiber Horizontal Duplex |
|------------------------|----------------------------|----------------------------|---------------------------|------------------------------------|----------------------------|
| Single Mode UPC Blue | 922653 | 922767 | 922559 | 922780 | 922784 |
| Single Mode APC Green | 922654 | 922768 | 922566 | 922781 | 922785 |
| Multi Mode OM4 Aqua | 922655 | 922769 | 922567 | 922782 | 922786 |

C-Type Modules






Splice Cartridges Single Fiber

C-Type Plate, Loaded with Adapters, Internal Dust Shuttters, Silkscreened Numbers, Nylatches installed



| LC-Duplex | 12 Fiber Horizontal | 24 Fiber Vertical |
|-----------------------|---------------------|-------------------|
| Single Mode UPC Blue | 922305 | 922293 |
| Single Mode APC Green | 922306 | 922294 |
| Multi Mode OM4 Aqua | 922307 | 922297 |

C-Type Plate, Loaded with Adapters, Internal Dust Shuttters, Silkscreened Numbers, Nylatches installed



| SC-Simplex / SC Duplex | 6 Fiber Horizontal Simplex | 12 Fiber Horizontal Duplex | 12 Fiber Vertical Simplex | 12 Fiber Horizontal Simplex Offset | 24 Fiber Horizontal Duplex |
|------------------------|----------------------------|----------------------------|---------------------------|------------------------------------|----------------------------|
| Single Mode UPC Blue | 922301 | 922310 | 921612 | 922318 | 922322 |
| Single Mode APC Green | 922302 | 922311 | 921613 | 922319 | 922323 |
| Multi Mode OM4 Aqua | 922303 | 922312 | 921614 | 922320 | 922324 |

C-Type Modules

C-Type



C-Type Blank Plate

R262363

C-Type Wall Mount box, empty

R281428