

Splice Cartridges L-Type (LGX)



Features

- High density-(Up to 12 ports per module)
- Low insertion loss performance
- LC, SC, MTP versions with UPC or APC
- Standard internal dust shutters on LC ports
- Removable front plate for connector access
- Includes adapters, pigtails, and appropriate splice protection sleeves
- Silkscreen numbering
- LGX standard footprint

Technical Data

| Description | Data / Value |
|----------------------|---|
| Housing Material | PC- ABS, transparent cover |
| Connector Type Front | LC Duplex (6 or 12 ports) / SC Duplex (6 ports) / MTP (6 ports) |
| Pigtail Type | Single Fiber 900µm, 250µm Flat Ribbon, 1 Meter |
| Insertion Loss | Maximum 0.2dB |
| Fibers | 12 or 24 (LC) / 12 (SC) / 48 or 72 (MTP) |
| Polish | UPC / APC |
| Footprint | R&M L-Type (= LGX), match any R&M L-Type Panel, Wall-Mount box and Fiber Drop |
| Dimensions | 7" deep (with adapters), 5.1" wide, 1.125 "high (LGX standard footprint) |
| Fiber Type | SM G657.A, OM4 |

Environmental Conditions

| Description | Data / Value |
|-----------------------|--------------------------------------|
| Operating Temperature | -40 °C to +85 °C / -40 °F to +185 °F |

Included Accessories



Includes

- Zip ties
- Splice sleeves
- Splice sleeve chips
- Velcro
- Splice chip holder rubber band
- Double sided foam tape
- Cable entry grommet





L-Type Blank Plate **R271426**

Splice Cartridges L-Type (LGX)



Splice Cartridges Single Fiber



L-Type Splice Cartridge, Single Strands, LC Duplex Adapters, Internal Dust Shutters, 900µm Semi Tight Buffer Pigtailed (TIA color jacket), Splice Kit, Silkscreened Numbers, Nylatches installed



| LC-Duplex | 12 Fiber Vertical | 24 Fiber Vertical |
|-------------------------|-------------------|-------------------|
| Single Mode UPC Blue | 923247 | 922885 |
| Single Mode APC Green | 923249 | 922886 |
| Multi Mode OM4 Aqua | 926181 | 926144 |
| Multi Mode OM4 H'violet | 922070 | 921999 |




L-Type Splice Cartridge, Single Strands, SC Duplex Adapters, 900µm Semi Tight Buffer Pigtailed (TIA color jacket), Splice Kit, Silkscreened Numbers, Nylatches installed



| SC-Simplex / SC Duplex | 6 Fiber Vertical Simplex | 12 Fiber Vertical Duplex |
|------------------------|--------------------------|--------------------------|
| Single Mode UPC Blue | 923244 | 926184 |
| Single Mode APC Green | 923245 | 922073 |


Splice Cartridges L-Type (LGX)

19" Rack Mount Panels, L-Type, empty




Front Sliding Tray, 1U
Fiber Distribution Panel

272682




Front and Rear Sliding Tray, 1U
Fiber Distribution Panel

271534




Front and Rear Sliding Tray, 2U
Fiber Distribution Panel

271538



Front Sliding Tray, 4U
Fiber Distribution Panel

271541



11" Ultra Short, Front Sliding Tray, 1U
Fiber Distribution Panel

275731



11" Ultra Short, Front Sliding Tray, 4U
Fiber Distribution Panel

277423



Fixed Front, 4U
Fiber Distribution Panel

272882



Wall Mount Panels, empty
1 or 2 L-Type Slots

901275 (1 slot); 271555 (2 slots)



Wall Mount Panels, empty
4 or 8 L-Type Slots

271558 (4 slots); 271562 (8 slots)