



FG4603

Omnidirectional Antenna 460-470 MHz

The TE Connectivity FG4603 omnidirectional base station antenna incorporates a collinear design that is enclosed in high density fiberglass, which is covered with a protective ultraviolet inhibiting coating. The radiating elements are carefully phased to provide maximum gain in the horizontal plane. The mounting sleeves are tuned to eliminate RF currents from the transmission line, resulting in a “cold” sleeve that allows for greater freedom in mounting. The antenna’s high quality and well-focused beam provides the best efficiency with highest gain.

FEATURES AND BENEFITS

- High-performance tri-linear design
- Special UV-treated radome; resists sun damage
- Easy installation with optional FM2
- N-Female industry standard connector
- 100% tested on a network analyzer

ELECTRICAL SPECIFICATIONS	
Operating Frequency (MHz)	460-470
VSWR - Max	<2:1
Gain (dBi)	5
Nominal Impedance (Ohms)	50
Max Power - Ambient 25°C (W)	100
Polarization	Vertical
Pattern	Omnidirectional

MECHANICAL SPECIFICATIONS	
Dimensions - diameter x height - cm (inches)	3.33 x 111.76 (1.31 x 44.0)
Weight - kg (lbs.)	1.59 (3.5)
Lightning Protection	Lightning Arrestor - LABH350NN (Sold separately)

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature - °C (°F)	
Storage Temperature - °C (°F)	
Rated Wind Velocity - km/hr (mph)	210 (125)
Rated Wind Velocity (with 0.5" radial ice) - km/hr (mph)	137 (85)
Lateral Thrust @ 1.25 mph wind velocity - kg (lbs.)	26 (57)
Equivalent Flat Plane Area - sq. km (sq. ft.)	0.6959
Mounting Information	FM2 Mounting Kit (sold separately)
Material Substance Compliance	RoHS

CONFIGURATION

ENVIRONMENTAL SPECIFICATIONS

FG4603	N-Female
--------	----------



Lightning
Arrestor
LABH350NN
(Sold Separately)



FM2 Mounting Kit
(Sold
separately)

TE TECHNICAL SUPPORT CENTER

USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

te.com

TE, TE Connectivity, TE connectivity (logo), and EVERY CONNECTION COUNTS are trademarks owned or licensed by the TE Connectivity plc family of companies. Other product names, logos, and company names mentioned herein may be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, complete, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. In no event will TE be liable for any direct, indirect, incidental, special or consequential damages arising from or related to recipient's use of the information. It is the sole responsibility of recipient of this information to verify the results of this information using their engineering and product environment. Recipient assumes any and all risks associated with the use of the information. Antenna performance may vary. TE is a component manufacturer, and customer and/or end-user is responsible for all end-use compliance and regulatory requirements.

©2025 TE Connectivity. All Rights Reserved.

05/25 Original